


ALLFIX

THE COLLATED FASTENER
SPECIALISTS

E4 PRODUCT
CATALOGUE



ALLFIX are the Australian agent for the SPOTNAILS product range.

In addition other premium quality products are stocked which complement the range.



Spotnails has been in business for over 75 years.

They manufacture and distribute pneumatic nailers, staplers, specialty tools, and corresponding fasteners.

The company manufactures a wide range of industrial fastening products including nails, staples, pins, brads and tools for use in packaging, furniture/woodworking, construction, factory-built housing and many other industries.

With manufacturing facilities in the United States, Korea and China Spotnails is keeping pace with the ever increasing demand for high quality tools and fasteners.

SPOTNAILS "FIRSTS" INCLUDE:

- The **FIRST** portable nailer to drive fasteners over half an inch long.
- The **FIRST** patented divergent chisel staple.
- The **FIRST** pneumatic nailer with air return.
- The **FIRST** portable nailer for two and one-half inch nails.
- The **FIRST** true brad for magazine loading.
- The **FIRST** nylon coated fasteners.

As industry professionals the passionate team at ALLFIX are your best choice when it comes to purchasing durable, efficient, and high-quality pneumatic fastener tools or related materials. Priding ourselves on our wide range of stock sourced from renowned and reputable international manufacturers, the experts at ALLFIX aim to ensure that your project is completed on time and budget

At ALLFIX we understand that the quality of the tool directly

impacts on its performance. Our knowledgeable team have hand-selected all tools, equipment, and materials we supply to distributors that work with tradespeople, businesses and worksites across Melbourne and the rest of Australia. Specialising in stocking tools and products for domestic, commercial, and horticultural construction purposes you can trust ALLFIX to deliver the solution you've been looking for.

Offering stand out solutions

such as same-day service, accurate deliveries, and competitive pricing for all of our superior products our customers can rely on us to ensure that their needs and requirements are catered for. **To discover more about our extensive range that includes Fasco and Spotnails tool products, our history, the location of suppliers near you, or any other enquiries please call us today on 1300 255 349 today.**





TACKERS
Page 9-16



STAPLERS - LIGHT WIRE NARROW CROWN
Page 17-20



STAPLERS - LIGHT WIRE MEDIUM CROWN
Page 21



STAPLERS - MEDIUM WIRE NARROW CROWN
Page 22



STAPLERS - MEDIUM WIRE MEDIUM CROWN
Page 23-24



STAPLERS - HEAVY WIRE MEDIUM CROWN
Page 25



STAPLERS - HEAVY WIRE WIDE CROWN
Page 26-27



STAPLERS - EXTRA HEAVY WIRE MEDIUM CROWN
Page 28



FLOORING AND UNDERLAY
Page 29-30



PACKAGING STAPLES
Page 31-37



HOG RINGS
Page 38



C RINGS
Page 39



PLASTICS
Page 40-41



PINNERS - BRADDERS - NAILERS
Page 43-49



CORRUGATED FASTENERS
Page 50



COIL NAILS
Page 51



DECKING NAILS
Page 51



HORTICULTURAL EQUIPMENT & SUPPLIES
Page 52



BUNCHING MACHINE
Page 53

STAPLES SERIES	SUITS - SIMILAR TO	PG
A-11 Rapid	140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
B Senco	80 Series, Kihlberg 680, Haubold 800, Bostitch 86, SPOTNAILS 80 Series.	21
B Series	Able 287, Bostitch SW7437, SPOTNAILS 7437.	33
BCS15	Bostitch BCS-1500, SPOTNAILS 7500 Series.	29
BCS2-2500	Bostitch S2, BCS2-2500, SPOTNAILS 1600 Series.	27
BCS31	Bostitch BCS31 Bedding, SPOTNAILS 619 TRD Series.	N/A
BCS4-1200	Bostitch S4, BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	30
B-8 Series	JK8, Bostitch STCR2115, Max 2115.	16
C Senco	71, Kihlberg 670, SPOTNAILS 17 Series.	18
DWS "A"	Paslode 292, Able 35, DWS "A", SW9040, SPOTNAILS 35 Series.	32
G4450	Senco M Series, Paslode GSI-18, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	23
G5562 Paslode	Senco N Series, BeA 14/155, Kihlberg 783, SPOTNAILS 6600 Series.	25
GSI-18 Paslode	Senco M Series, G4450, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	23
HH757 Rankin	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/34, SPOTNAILS	9
Hotshot	Arrow T50/T55/HT50, Bostitch T200, Rapid 14/34, Rankin HH757, SPOTNAILS	9
HT50 Arrow	Arrow T50/T55, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757, SPOTNAILS	9
J-06/08/16/18	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	13
JT21 Arrow	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow T27, Max 1000F, SPOTNAILS 20 Series.	13
L Senco	90 Series, Kihlberg 781, Haubold 6000, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	22
M Senco	G4450, Paslode GSI-18, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	23
N Senco	Paslode G5562, BeA 14/155, Kihlberg 783, SPOTNAILS 6600 Series.	25
P Senco	Kihlberg 784, Paslode W5562, Duo-Fast 17, SPOTNAILS 3600 Series.	26
Q Senco	Senco Q, Q6774, SPOTNAILS 6500 Series.	28
Q6774	Senco Q, SPOTNAILS 6500 Series.	28
RM137	97 Series, Kihlberg 690, SPOTNAILS 97 Series.	20
SB103020	Bostitch P50-10B Packaging Stapler, SB103020, SPOTNAILS SB103020 Series.	35
SB5019	Bostitch P50-5B Packaging Stapler, SB5019 Series.	N/A
STCR 5019	694 Series, Bostitch STCR 5019.	15
SX Bostitch	90 Series, Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, SPOTNAILS 4800 Series.	22
SW9040	Paslode 292, Able 35, DWS "A", SW9040 Carton Sealer, SPOTNAILS 35 Series.	32
SW7437	Able 287, "B", Bostitch SW7437 Packaging, SPOTNAILS 7437 Series.	33
SWC7437	Bostitch SWC7437 Coil Packaging, SPOTNAILS BRCC Series.	33
S2 Bostitch	Bostitch BCS2-2500, SPOTNAILS 1600 Series.	27
S4 Bostitch	Bostitch BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	30
T18 Arrow	Rapid 28, Rexel 37CTU, SPOTNAILS 28 Series.	12
T200 Bostitch	Arrow T50/T55/HT50 A11, Bostitch Hotshot A-11, Rapid 14/34, Rankin HH757, SPOTNAILS A-11 Series.	9
T27 Arrow	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21, Max 1000F, SPOTNAILS 20 Series.	13
T50/55 Arrow	Arrow HT50, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757, SPOTNAILS 11 Series.	9
W-18 Duo-Fast	Senco M Series, G4450, Paslode GSI-18, Kihlberg 782, SPOTNAILS 6800 Series.	23
W5562 Paslode	Senco P Series, Kihlberg 784, Duo-Fast 17, SPOTNAILS 3600 Series.	26



STAPLES SERIES	SUITS - SIMILAR TO	PG
1000F Max	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, SPOTNAILS 20 Series.	13
11 Spotnail	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757.	9
13 Rapid	Rapid 13/23/30/33, SPOTNAILS R-19 Series.	11
14 Rapid	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 34, Rankin HH757, SPOTNAILS A-11 Series.	9
140 Rapid	A-11, 140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
1400 Haubold	Haubold 1400, SPOTNAILS 1400 Series.	17
14/155 BeA	Senco N Series, Paslode G5562, Kihlberg 783, SPOTNAILS 6600 Series.	25
17 Duo-Fast	Senco P Series, Kihlberg 784, Paslode W5562 Series.	26
1800 Duo-Fast	90 Series, Kihlberg 781, Haubold 6000, Senco L, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	22
20 Bostitch	Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	13
2001 Rexel	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	13
24 Rapid	Rapid 24/44, Max No. 3, SPOTNAILS 3 Series.	14
28 Rapid	Rexel 37CTU, Arrow T18, SPOTNAILS 28 Series.	12
287 Able	"B", Bostitch SW7437 Packaging, SPOTNAILS 7437 Series.	16
292 Paslode	Able 35, DWS "A", SW9040, SPOTNAILS 35 Series.	32
No. 3 Max	Rapid 24/44, Max No. 3, SPOTNAILS 3 Series.	14
30 Rapid	Rapid 13/30/33, SPOTNAILS R19 Series.	11
32 Able	Kihlberg 561 Carton Sealer, SPOTNAILS 32 Series.	31
23 Rapid	Rapid 13/30/33, SPOTNAILS R19 Series.	11
34 Rapid	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/44, Rankin HH757, SPOTNAILS A-11 Series.	9
35 Able	Paslode 292, DWS "A", SW9040, SPOTNAILS 35 Series.	32
37CTU Rexel	Rapid 28, Arrow T-18, SPOTNAILS 28 Series.	12
400MA Max	90 Series, Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Bostitch SX, SPOTNAILS 4800 Series.	23
4000 Haubold	Haubold 4000, SPOTNAILS 4000 Series.	19
44 Rapid	Rapid 24/44, Max No. 3 Series.	14
5000C	Duo-Fast 5000C Series, Kihlberg 64.	24
53 Rapid	Bostitch 20, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	13
561 Kihlberg	Able 32 Carton Sealer, SPOTNAILS 32 Series.	31
590 Kihlberg	Kihlberg 590 Packaging Series.	N/A
6000 Haubold	90 Series, Kihlberg 781, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series. 1	22
670 Kihlberg	71 Series, Senco C, SPOTNAILS 71 Series.	18
671 Kihlberg	Rapid A-11, 140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
680 Kihlberg	80 Series, Haubold 800, Senco B, Bostitch 86, SPOTNAILS 80 Series.	21
690 Kihlberg	97 Series, RM137, SPOTNAILS 97 Series.	20
694	694 Series, Bostitch STCR 5019, SPOTNAILS 5019 Series.	15
71	71 Series, Kihlberg 670, Senco C, SPOTNAILS 71 Series.	18
73	Rapid 31, Kihlberg 695, L3 Markwell.	N/A
7437	'B' Series, Able 287, Bostitch SW 7437, SPOTNAILS 7437.	33
777 Kihlberg	Kihlberg 777 Packaging Series, SPOTNAILS 777 Series.	36
779 Kihlberg	Kihlberg 779 Series, SPOTNAILS 779 Series.	37
781 Kihlberg	90 Series, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	22



STAPLES SERIES	SUITS - SIMILAR TO	PG
782 Kihlberg	Senco M Series, G4450, Paslode GSI-18, Duo-Fast W-18, SPOTNAILS 6800 Series.	23
783 Kihlberg	Senco N Series, Paslode G5562, BeA 14/155, SPOTNAILS 6600 Series.	25
784 Kihlberg	Senco P Series, Paslode W5562, Duo-Fast 17, SPOTNAILS 3600 Series.	26
8 Kihlberg S	SPOTNAILS B-8, Bostitch STCR 2115, Max 2115.	16
80	80 Series, Kihlberg 680, Haubold 800, Senco B, Bostitch 86 Series, BeA 80, SPOTNAILS 80 Series.	21
800 Haubold	80 Series, Kihlberg 680, Senco B, Bostitch 86, SPOTNAILS 80 Series.	21
86 Bostitch	80 Series, Kihlberg 680, Haubold 800, Senco B Series.	21
90 Kihlberg	781, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	22
900T Max	Bostitch S4, BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	30
97	97 Series, Kihlberg 690, RM137, SPOTNAILS 97 Series.	20

PINS/BRADS SERIES	SUITS - SIMILAR TO	PG
AX	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g Series.	44
C	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
C1	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	44
C100	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	44
DA	DA Angled, SPOTNAILS 15g Angle Brad Series.	46
FMO Max	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	44
FN	FN Angled, Bostitch FN1500, Max KBTO Series.	N/A
FN1500	FN Angled, Bostitch FN1500, Max KBTO, SPOTNAILS 15G, FNG Series.	48
FNG	1600 Paslode TrimMaster®, DeWalt® 16g angle brad.	48
F16	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
JK-21/506	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 3240 Series.	43
KBTO Max	FN Angled, Bostitch FN1500, Max KBTO, SPOTNAILS 15G, FNG Series.	48
ND	ND, SPOTNAILS 14G, PG Series.	47
T-BRAD Max	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
0.6	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 23g, Pins Series.	43
0.8	0.8mm Paslode Headless Series.	N/A
1.2 Mini	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	44
1200C	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
1300	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	44
1.6	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
516	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
6000	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	45
625	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 2340 Series.	43
AZ	1.2mm Headless Pins	N/A

STAPLES II SERIES

TACKER STAPLE



LT1a



CROWN WIDTH: 10.6mm

SUITS: Spotnails 11, Arrow T50/T55/HT50, Bostitch T200 & Hotshot Rapid 14/34, Rankin HH757 Series.



85000: Uses Spotnails® 85500 Staples (Similar to Rapid® A11 & Arrow® T50)

Model	GA	Crown	Staple Range	Mag Cap.
85000	20	3/8"	1/4" - 3/8" 6mm - 10mm	168

ORDER CODE	DESCRIPTION
13SL85000	SPOTNAILS A11 HAMMER TACKER
12WMLT-1	EASY SQUEEZE STAPLE TACKER

ORDER CODE	SPOTNAIL CODE	LEG LENGTH	BOX QTY	OUTER
4SNSA11/06	85504	6mm	5,000	100,000
4SNSA11/08	85505	8mm	5,000	100,000
4SNSA11/10	85506	10mm	5,000	100,000
4SNSA11/12	85508	12MM	5,000	100,000

STAPLES II SERIES STAINLESS STEEL

ORDER CODE	SPOTNAIL CODE	LEG LENGTH	BOX QTY	OUTER
4SNSSSA11/06	85504SS	6mm	5,000	100,000

STAPLES

13SL136400 & 13SL136401

CAP HAMMER TACKER



STAPLES 13 SERIES

TACKER STAPLE



136400 (CH38-2)



136401 (CH38A)



13SL136400 CAP HAMMER TACKER

APPLICATIONS: Roofing Felt, Housewrap

FEATURES: Uses 4SN136420 Staples, Airless Cap System

WEIGHT: 1.06 kg

DIMENSIONS: 430L x 51W x 127H mm



136400 & 136401: Uses 136420 Staples

Model	GA	Crown	Staple Range	Mag Cap.
136400	20	3/8"	3/8" - 10mm	168 Staples/Caps
136401	20	3/8"	3/8" - 10mm	168 Staples/Caps

13SL136401 CAP HAMMER TACKER AUTO

APPLICATIONS: Roofing Felt, Housewrap

FEATURES: Uses 136420 Staples, Airless Cap System

WEIGHT: 1.16 kg

DIMENSIONS: 340L x 133W x 140H mm

PRODUCT	DESCRIPTION	BOX QTY
13SL136400	CAP HAMMER TACKER	1
13SL136401	CAP HAMMER TACKER AUTO	1
4SN136420	10mm STAPLES WITH CAPS	2016

CROWN WIDTH: 10.5mm

SUITS: RAPID 13/19/28/30/33

APPLICATIONS: Fabric, Labeling, Decoration Fixing



84001: Uses Spotnails® 84504 Staples (Similar to Rapid® 19 & 13)

Model	GA	Crown	Staple Range	Mag Cap.
84001	23	3/8"	1/4" - 3/8" 6mm - 10mm	125

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SL84001	HAMMER TACKER		1	10
12FFR23E	RAPID 23		1	6
4SNS13/06	6mm STAPLE	84504	5000	250,000
4SNS13/08	8MM STAPLES	84505	5000	250,000

STAPLES 28 SERIES

CABLE TACKER



CROWN WIDTH: 9.5mm

SUITS: Rapid 28, Rexel 37 CTU, Arrow 18

APPLICATIONS: Securing Cables



GA	Crown	Staple Range	PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
	7/16"	3/8" 9mm	4SNS28/09	9mm Staples	46106	5000	40,000

STAPLES 20 SERIES


TACKER STAPLE



CROWN WIDTH: 11.2mm **WIRE SIZE:** 0.75 x 0.52 (23 gague)

SUITS: Bostitch 20, Rapid 53, Novus J-06/J-08/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, Spotnails 20 Series

APPLICATIONS: Labling, Upholstrey



GA	Crown	Staple Range	PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
	7/16"	5/32"-5/16" 4mm-8mm	12WMLT-1-20	STAPLE TACKER		1	10
			4SNS20/08	8mm STAPLE	72005	10,000	240,000
23	7/16"	5/32"-5/16" 4mm-8mm	4SNS20/13	13mm STAPLES	72008	10,000	240,000

STAPLES 24 SERIES

TACKER STAPLE



STAPLES 694 SERIES

STAPLER



DSC0652




HSP-12

CROWN WIDTH: 11.5mm

SUITS: Rapid 24/44, No .3 Series

APPLICATIONS: Upholstery, Posters, Woodworking, Carpet Laying




GA	Crown	Staple Range
23	7/16"	1/4"-13/16" 6mm-20mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12MXSTG-D	MAX T3	TD-G	1	20
4MXSM92513	6mm staple	Max No.3	1000	200,000
4MXSM92630	10mm staple	Max T30	1000	200,000

CROWN WIDTH: 11.4mm

SUITS: Rapid 31, JK695, Markwell L3 Types, STCR5019

APPLICATIONS: Carton Stapler



GA	Crown	Staple Range
16	7/16"	1/4"-9/16" 6mm-14mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13OPHSP12	STAPLER	OPHSP12	1	10
4SNS694/06-1000	6mm STAPLES	82504	5,000	100,000
4SNS694/09-1000	9mm STAPLES	82506	5,000	100,000
4SNS694/12-1000	12mm STAPLES	82508	5,000	100,000

STAPLES B-8 SERIES

STAPLE PLIER



DSC0653

CROWN WIDTH: 10.5mm

SUITS: Similar To JK8, Bostitch STCR2115, Max 2115



PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12MXHP90026	MAX PILER STAPLER	HP-88	1	20
4SNSB-8/06	6mm STAPLES	78504	5000	500,000
4SNSB-8/10	10mm STAPLES	78506	5000	500,000

GA	Crown	Staple Range
24	7/16"	1/4"-3/8" 6mm-10mm

STAPLES 1400 SERIES

STAPLER




Fasco-Stapler-FIB 14-16 AUT

CROWN WIDTH: 10.1mm

SUITS: Haubold 1400, Spotnails 1400 Series

APPLICATIONS: Furniture, Upholstery, Footwear, Curtain Manufacturing



GA	Crown	Staple Range
20	25/64"	1/8"-13/16" 3mm-20mm



Fasco-Stapler-FIB 14-16

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SF1416	FASCO STAPLER	FIB 14-16	1	10
4SNS1406	6mm STAPLES	99004	10,000	200,000
4SNS1408	8mm STAPLES	99005	10,000	200,000
4SNS1410	10mm STAPLE	99006	10,000	200,000
4SNS1412	12mm STAPLES	99008	10,000	200,000
4SNS1414	14mm STAPLE	99009	10,000	200,000

STAPLES 71 SERIES

STAPLER



PS7116LN



PS7116



Fasco-Stapler-FIB 7C-16



Fasco-Stapler-FIB-7C-16-AUT

CROWN WIDTH: 9.1mm

SUITS: All 71, Kihlberg 670, Senco C, Spotnail 71 Series

APPLICATIONS: Upholstery, Auto motive Vinyl Trim, Insulation, Etc.



Model	GA	Crown	Staple Range	Mag Cap.
PS7116	22	3/8"	1/8" - 9/16" 3mm - 14mm	100

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLPS7116	SPOTNAIL STAPLER	SP7116	1	10
13SF7116	FASCO STAPLES	FIB 7C-16	1	10
4SNS71/04	4mm STAPLES	87002.5	10,000	200,000
4SNS71/05	5mm STAPLE	87003	10,000	200,000
4SNS71/06	6mm STAPLES	87004	10,000	200,000
4SNS71/08	8mm STAPLE	87005	10,000	200,000
4SNS71/10	10mm STAPLES	87006	10,000	200,000
4SNS71/11	11mm STAPLE	87007	10,000	200,000
4SNS71/12	12mm STAPLES	87008	10,000	200,000
4SNS71/14	14mm STAPLE	87009	10,000	200,000

STAPLES 4000 SERIES

STAPLER



Fasco-Stapler_FIB-4000-19

CROWN WIDTH: 4.9mm

SUITS: Haubold 4000, Spotnail 4000 Series

APPLICATIONS: Cabinet Making, Picture Framing, Carpet Laying



GA	Crown	Staple Range
20	3/16"	1/8"-1" 3mm-25mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SF1416	FASCO STAPLER	FIB 14-16	1	10
4SNS1406	6mm STAPLES	99004	10,000	200,000
4SNS1408	8mm STAPLES	99005	10,000	200,000
4SNS1410	10mm STAPLE	99006	10,000	200,000
4SNS1412	12mm STAPLES	99008	10,000	200,000
4SNS1414	14mm STAPLE	99009	10,000	200,000

STAPLES 97 SERIES

STAPLER



CS3925



Fasco-Stapler-FIB 97B-19



Fasco-Stapler-FIB 97B-25

CROWN WIDTH: 4.5mm

SUITS: All 97, Kihlberg 690, Rm137, Spotnail 97 Series

APPLICATIONS: Cabinet Making, Picture Framing, Carpet Laying.



CS3925: Uses Spotnails® 97 Staples (Similar to Bostitch®97 & BeA® 97)

Model	GA	Crown	Staple Range	Mag Cap.
CS3925	19	3/16"	1/4" - 1" 6mm - 25mm	125

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLCS3925	SPOTNAIL STAPLER	CS3925	1	10
13SF97B19	FASCO STAPLES	97B19	1	10
4SNS97/08	8mm STAPLES	97505	5,000	100,000
4SNS97/10	10mm STAPLES	97506	5,000	100,000
4SNS97/12	12mm STAPLES	97508	5,000	100,000
4SNS97/14	14mm STAPLES	97509	5,000	100,000
4SNS97/16	16mm STAPLES	97510	5,000	100,000
4SNS97/19	19mm STAPLES	97512	5,000	100,000
4SNS97/22	22mm STAPLES	97514	5,000	100,000

STAPLES 80 SERIES

STAPLER



Fasco-Stapler-FIB-80-16-AUT



Fasco-Stapler-FIB 80-16



JS7116



Fasco-Stapler-FIB-80-16-LN50

CROWN WIDTH: 12.9mm

SUITS: All 80, Kilberg 680, Haubold 800, Senco B, Bostitch 86, Bea80, Spotnail 80 Series

APPLICATIONS: Upholstery, Roofing Felt, Screening



Model	GA	Crown	Staple Range	Mag Cap.
PS8016	20	1/2"	1/8" - 9/16" 3mm - 14mm	100

PRODUCT	DESCRIPTION	BOX QTY	BOX QTY
13SLPS8016	Spotnail Stapler	1	10
12SF8016	FASCO Stapler	1	10
13SF8016LN	FASCO Stapler	1	10
13SF8016A	FASCO Stapler	1	10

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNS80/04	4mm STAPLES	98002.5	10,000	180,000
4SNS80/047	4.7mm STAPLES	98003	10,000	180,000
4SNS80/06	6mm STAPLES	98004	10,000	180,000
4SNS80/08	8mm STAPLES	98005	10,000	180,000
4SNS80/10	10mm STAPLES	98006	10,000	180,000
4SNS80/12	12mm STAPLES	98008	10,000	180,000
4SNS80/14	14mm STAPLES	98009	10,000	180,000
4SNS80/16	16mm STAPLES	980010	10,000	180,000

STAINLESS

4SNSSS80/04	4MM STAPLES	98002.5SS	10,000	180,000
4SNSSS80/06	6mm STAPLES	98004SS	10,000	180,000
4SNSSS80/08	8mm STAPLES	98005SS	10,000	180,000
4SNSSS80/10	10mm STAPLES	98006SS	10,000	180,000
4SNSSS80/12	12mm STAPLES	98008SS	10,000	180,000

STAPLES 90 SERIES

STAPLER



Fasco-Stapler_F20A-SG-40



TIS4825




WIS4840

CROWN WIDTH: 5.5mm

SUITS: All 90, Kilberg 781, Haubold 6000, Senco L, Bostitch SX, Duo-Fast 1800, Max 400MA, Spotnail 4800 Series

APPLICATIONS:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blacks, Drawer and Cabinet Assembly



WIS4840: Uses Spotnails® 4800 Staples

(Similar to Senco® L, Duo-Fast® 1800 & BeA® 90)

Model	GA	Crown	Staple Range	Mag Cap.
WIS4840	18	1/4"	3/8" - 1-5/8" 10mm - 40mm	125

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLTIS4825	SPOTNAIL STAPLER	TIS4825	1	10
13SLWIS4840	SPOTNAIL STAPLER	WIS4840	1	5
13SFF369040	FASCO STAPLER	F3C 90-40	1	5
4SNS90/09	9mm STAPLES	4803	5,000	50,000
4SNS90/12	12mm STAPLES	4804	5,000	50,000
4SNS90/14	14mm STAPLES	4804.5	5,000	50,000
4SNS90/16	16mm STAPLES	4805	5,000	50,000
4SNS90/18	18mm STAPLE	4805.5	5,000	50,000
4SNS90/19	19mm STAPLES	4806	5,000	50,000
4SNS90/22	22mm STAPLES	4807	5,000	50,000
4SNS90/25	25MM STAPLES	4808	5,000	50,000
4SNS90/28	28MM STAPLES	4809	5,000	30,000
4SNS90/30	30MM STAPLE	4809.5	5,000	30,000
4SNS90/32	32MM STAPLES	4810	5,000	30,000
4SNS90/35	35MM STAPLES	4811	5,000	30,000
4SNS90/38	38MM STAPLES	4812	5,000	30,000

STAINLESS

4SNS90/19	19MM STAPLES	4806PS	2,500	25,000
4SNS90/22	22MM STAPLES	4807PS	2,500	25,000
4SNS90/25	25MM STAPLES	4808PS	2,500	25,000
4SNS90/32	32MM STAPLE	4810PS	2,500	25,000
4SNS90/38	38MM STAPLE	4812PS	2,500	25,000

STAPLES M SERIES

STAPLER



TIS6825

CROWN WIDTH: 10.2mm

SUITS: Senco M, G4450, Paslode GSI-18, Duo-Fast W-18, Kihlberg 782, Spotnail 6800

APPLICATIONS: Case Manufacture, Timber Assembly, Case backing, Cabinetry



TIS6825: Uses Spotnails® 6800 Staples

(Similar to Senco® M & Duo-Fast® W1800)

Model	GA	Crown	Staple Range	Mag Cap.
TIS6825	18	3/8"	3/8" - 1" 10mm - 25mm	168

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLTIS6825	SPOTNAIL STAPLER	TIS6825	1	10
4SNSM06BAB	10mm STAPLES	6803	5,000	50,000
4SNSM08BAB	13mm STAPLES	6804	5,000	50,000
4SNSM10BAB	16MM STAPLES	6805	5,000	50,000
4SNSM11BAB	19MM STAPLES	6806	5,000	50,000
4SNSM13BAB	25MM STAPLE	6808	5,000	50,000
4SNSM15BAB	32MM STAPLES	6810	5,000	50,000
4SNSM17BAB	35MM STAPLES	6812	5,000	50,000

STAPLES 5000C SERIES

STAPLER



CROWN WIDTH: 12.4mm

SUITS: All Duo-Fast 5000C, Kilberg 64

APPLICATIONS: Case Backing, Draw Assembly, Trim Moulding, Heavy Cabinet, Vinyl Siding Installation



Model	GA	Crown	Staple Range	Mag Cap.
PS5016	20	1/2	1/4" - 9/16" 6mm - 14mm	84

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12WMHT-56BL	HAMMER TACKER	12WMHT-56BL	1	10
12WMLT-1-5000	HAND TACKER	12WMLT-1-5000	1	10
4SNS5008C/06	6mm STAPLES	35504	5,000	100,000
4SNS5010C/08	8mm STAPLES	35505	5,000	100,000
4SNS5012C/10	10mm STAPLES	35506	5,000	100,000
4SNS5016C/12	12mm STAPLES	35508	5,000	100,000
4SNS5018C/14	14mm STAPLE	35509	5,000	100,000

STAPLES N SERIES

STAPLER



Fasco-Stapler_F44AC-G-50-TL



M1S6650



X1S6650

CROWN WIDTH: 10.5mm

SUITS: Secno N, Paslode G5562, BEA 14/155 Kihlberg 783, Spotnail 6600

APPLICATIONS: Plywood Wall Sheathing, Floor Underlayment, Roof and Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork-Door Jambs, Existing Siding.



X1S6650: Uses Spotnails® 5600, 6600 & 6700 Staples (Similar to Duo-Fast® 7600 & Paslode® GS16 / Senco® N & Bostitch® 16SS / Senco® O & Bostitch® 17S5 & BeA® 14)

Model	GA	Crown	Staple Range	Mag Cap.
X1S6650	16	7/16"	1/2" - 2" 12mm - 50mm	150

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLX1S6650	SPOTNAIL STAPLER	13SLX1S6650	1	5
13SLM1S6650	SPOTNAIL STAPLER	13SLM1S6650	1	5
13SFF44C650TL	FASCO STAPLER	13SFF44C650TL	1	5
4SNSN10BAB	16mm STAPLES	6605	5,000	10,000
4SNSN11BAB	19mm STAPLES	6606	5,000	10,000
4SNSN13BAB	25mm STAPLES	6608	5,000	10,000
4SNSN15BAB	32mm STAPLES	6610	5,000	10,000
4SNSN16BAB	35mm STAPLE	6611	5,000	10,000
4SNSN17BAB	38mm STAPLES	6612	5,000	10,000
4SNSN19BAB	44MM STAPLES	6614	5,000	10,000
4SNSN21BAB	50MM STAPLES	6616	5,000	10,000
HIGH TENSILE WIRE				
4SNSN11HBAB	19MM STAPLES	6606H	5,000	10,000

STAPLES P SERIES

STAPLER



STAPLES BCS2 SERIES

TACKER STAPLE



XIS3640



XIS3640RFH



XIS1640

CROWN WIDTH: 26.5mm

SUITS: Paslode W5562, Duo-Fast 17, Kihlberg JK784, Spotnail 3600 Series

APPLICATIONS: Insulating Material, Packaging, Crafting, Roofing, Lathing



XIS3640: Uses Spotnails® Staples (Similar to Senco® P & Duo-Fast® 1700)

Model	GA	Crown	Staple Range	Mag Cap.
XIS3640	16	1"	1/2" - 1-1/2" 12mm - 40mm	150

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLXIS3640	SPOTNAIL STAPLER	13SLXIS3640	1	5
4SNSP10BAB	16mm STAPLES	3605	5,000	10,000
4SNSP11BAB	19mm STAPLES	3606	5,000	10,000
4SNSP13BAB	25mm STAPLES	3608	5,000	10,000
4SNSP15BAB	32mm STAPLES	3610	5,000	10,000

CROWN WIDTH: 25.0mm

SUITS: Bostitch BCS2-2500 Series

APPLICATIONS: Insulating Material, Packaging, Crafting, Roofing, Lathing



XIS1640: Uses Spotnails® 1600 Staples (Similar to Bostitch® 1)

Model	GA	Crown	Staple Range	Mag Cap.
XIS1640	16	1"	1/2" - 1-1/2" 12mm - 40mm	150

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLXIS1640	SPOTNAIL STAPLER	13SLXIS1640	1	5
4SNBCS2-2516	16mm STAPLES	1605PG	5,000	10,000
4SNBCS2-2519	19mm STAPLES	1606PG	5,000	10,000
4SNBCS2-2525	25mm STAPLES	1608PG	5,000	10,000
4SNBCS2-2532	32mm STAPLES	1610PG	5,000	10,000

STAPLES Q SERIES

FLOOR & UNDERLAY



STAPLES BCS15 SERIES

FLOOR & UNDERLAY



MIS6564

MS6564

CROWN WIDTH: 11.3mm

SUITS: Senco Q, 6774, Spotnail 6500 Series

APPLICATIONS: Crafting, Furniture & Window Manufacture



GA	Crown	Staple Range
15	7/16"	1 1/2" - 2 1/2" 32mm - 64mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNSQ17BAB	38mm STAPLES	6512	10,300	10,300
4SNSQ21BAB	50mm STAPLES	6516	5,000	5,000
4SNSQ25BAB	64mm STAPLES	6520	6,200	6,200



FS7550

CROWN WIDTH: 12.7mm

SUITS: Bostitch BCS-1500, M111FS Flooring Stapler, Spotnails 7500 Series

APPLICATIONS: Install Solid Hardwood Flooring, Tongue & Groove Flooring



GA	Crown	Staple Range
13	1/2"	1 1/2" - 2 1/2" 38mm - 63mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNSBCS-1532	32 m staple	7510	11,900	11,900
4SNSBCS-1538	38mm staple	7512	10,300	10,300
4SNSBCS-1545	45mm staple	7514	8,400	8,400
4SNSBCS-1550	50mm staple	7516	5,000	5,000

STAPLES BCS4 SERIES

FLOOR & UNDERLAY



W1S4840W6

CROWN WIDTH: 12.7mm

SUITS: Bostitch BCS4-1200, Max TA557 900T Flooring Stapler Series

APPLICATIONS: Install Solid Hardwood Flooring, Tongue & Groove Flooring



GA	Crown	Staple Range
15	15/32"	1/2"-2 1/2" 12mm-65mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNSBCS4-1219	19mm STAPLES	7606	5000	10,000
4SNSBCS4-1222	22mm STAPLES	7607	5000	10,000
4SNSBCS4-1225	25mm STAPLES	7608	5000	10,000
4SNSBCS4-1232	32mm STAPLES	7610	5000	10,000
4SNSBCS4-1238	38mm STAPLES	7612	5000	10,000
4SNSBCS4-1245	45mm STAPLES	7614	5000	10,000
4SNSBCS4-1250	50mm STAPLES	7616	5000	10,000

STAPLES 561 SERIES

STAPLER



HSC3219C




KSC3219C

CROWN WIDTH: 32.0mm

SUITS: Able 32, Kihlberg 561, Spotnail 32 And 275 Series

APPLICATIONS: Carton Closing



Model	Crown	Staple Range	Mag Cap.
KSC3219C	1-1/4"	5/8" - 3/4" 16mm - 19mm	100

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLHSC3219C	MANUAL STAPLER	HSC3219C	1	5
13SLKSC3219C	PNEUMATIC STAPLER	KSC3219C	1	5
4SNS561/16-1000	16mm STAPLES	CC58C	2,000	20,000
4SNS561/19-1000	19mm STAPLES	CC34C	2,000	20,000

PRODUCT	DESCRIPTION
130PCMS-S-32	BOX BOTTOMER STANDARD DUTY SIDE ARM TYPE MAUNAL
130PHCAB-S-32	BOX BOTTOMER HEAVY DUTY POST TYPE PNEUMATIC
130PHCMB-S-32	BOX BOTTOMER HEAVY DUTY POST TYPE MANUAL
130PHCMS-S-32	BOX BOTTOMER HEAVY DUTY SIDE ARM TYPE MANUAL
130PHCAS-S-32	BOX BOTTOMER HEAVY DUTY POST TYPE PNEUMATIC
130PCMB-32	BOX BOTTOMER STANDARD DUTY MANUAL POST
13BOT-3222C	BOX BOTTOMER STANDARD DUTY PNEUMATIC POST

STAPLES 561 SERIES

STAPLER



Fasco-Carton-Stapler-FA-35-18-22



Fasco-Carton-Stapler-FA-35-18-22




BOT-3522C-PM

CROWN WIDTH: 34.8mm

SUITS: Able 35, Kihlberg 292, Paslode Elpabox 292, DWS "A" SW 9040 Carton Sealer, Spotnail 35 Series

APPLICATIONS: Carton Closing



Model	Crown	Staple Range	Mag Cap.
KSC3519C	1-3/8"	5/8" - 3/4" 16mm - 19mm	100

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLHSC3519A	MANUAL STAPLER	HSC5219A	1	5
13SLKSC3519A	PNEUMATIC STAPLER	KSC3519A	1	5
13FFA35-18/22	PNEUMATIC STAPLER	FASCO	1	5
4SNS292/16-1000	16mm STAPLES	CC58A	2,000	20,000
4SNS292/19-1000	19MM STAPLES	CC34A	2,000	20,000
4SNS292/22-1000	22MM STAPLES	CC78A	2,000	20,000

PRODUCT	DESCRIPTION
130PCMS-S-35	BOX BOTTOMER STANDARD DUTY SIDE ARM TYPE MAUNAL
130PHCAB-S-35	BOX BOTTOMER HEAVY DUTY POST TYPE PNEUMATIC
130PHCMB-S-35	BOX BOTTOMER HEAVY DUTY POST TYPE MANUAL
130PHCMS-S-35	BOX BOTTOMER HEAVY DUTY SIDE ARM TYPE MANUAL
130PHCAS-S-35	BOX BOTTOMER HEAVY DUTY POST TYPE PNEUMATIC
130PCMB-35	BOX BOTTOMER STANDARD DUTY MANUAL POST
13BOT-3522C	BOX BOTTOMER STANDARD DUTY PNEUMATIC POST

STAPLES 7437 SERIES

STAPLER



KSR3219R

SWC7437 - COIL

CROWN WIDTH: 35.0mm

SUITS: Bostitch Coil SWC7437, Spotnail CCBR Series

APPLICATIONS: Carton Closing



Model	Crown	Staple Range	Mag Cap.
KSRSWC7437	1-3/8"	5/8" - 3/4" 16mm - 19mm	100

SW7437 - STRAIGHT


CROWN WIDTH: 35.0mm

SUITS: Able 287, "B", Bostitch SW7437, Spotnail 7437 Series

APPLICATIONS: Carton Closing

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLKSWC7437	PNEUMATIC STAPLER	KSWC7437 COIL	1	5
4SNSS WC4/7437/16	16mm STAPLES	CCBR-5/8	24,000	200,000
4SNSSWC4/7437/18	18mm STAPLES	CCBR-3/4	24,000	200,000

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNSSW47437/16	16mm STAPLES	CCB7437-5/8	2400	24,000



DSP103020

CROWN WIDTH: 12.5mm

SUITS: Bostitch BCS-1500, M111fs Flooring Stapler, Spotnails 7500 Series

APPLICATIONS: Fastening Corrugated Packaging




Model	Crown	Staple Range	Mag Cap.
DSP103020	1/2"	3/8" - 5/8" 10mm - 16mm	102

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLDSP103020	PNEUMATIC STAPLER	DSP103020	1	5
4SSB103020/10	10mm STAPLES	91206	2500	50,000
4SSB103020/12	12mm STAPLES	91208	2500	50,000
4SSB103020/16	16mm STAPLES	91210	2500	50,000
4SNBCS2-2532	32mm STAPLES	1610PG	5,000	10,000

STAPLES 777 SERIES

STAPLER



DSP777

CROWN WIDTH: 12.5mm

SUITS: Bostitch 777, Spotnails 777, Kihlberg 777

APPLICATIONS: Packaging, Bedding




PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLDSP-777	PNEUMATIC STAPLER	DSP777	1	5
4SNS777/10	10mm STAPLES	94206	2400	48,000
4SNS777/12	12mm STAPLES	94208	2400	48,000
4SNS777/16	16mm STAPLES	94210	2400	48,000

Model	Crown	Staple Range	Mag Cap.
DSP777	1/2"	3/8" - 5/8" 10mm - 16mm	102

STAPLES 779 SERIES

STAPLER



DSP779

CROWN WIDTH: 12.5mm

SUITS: Bostitch 779, Spotnails 779, Kihlberg 779

APPLICATIONS: Packaging, Bedding



Model	Crown	Staple Range	Mag Cap.
DSP779	1/2"	3/8" - 5/8" 10mm - 16mm	220

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLDSP-779	PNEUMATIC STAPLER	DSP779	1	5
4SNS779/10	10mm STAPLES	95506	5000	100,000
4SNS779/12	12mm STAPLES	95508	5000	100,000
4SNS779/14	14mm STAPLES	95509	5000	100,000
4SNS779/16	16mm STAPLES	95510	5000	100,000

HOG RINGS


FENCING



HRC34-14

SUITS: Paslode Air Ringer A10845, Bostitch HRL309/ HRL311 (SR-15 Series), SOFRAGRAF HR60/22

APPLICATIONS: Bag Sealing, Rural Wire Fencing, Etc, Car Seat/ Upholstery Manufacturing, Mattress Manufacturing, Wire/ Mesh Joining Applications.



X1S3640: Uses Spotnails® 69012 D-Hog Rings (Similar to Bostitch® RINGSR15)

Model	GA	Open Ring	Closure Size	Mag Cap.
HRD34LM	15	3/4" 19mm	1/4" - 3/8" 6mm - 10mm	125

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY
4SNHRP-22GW	22mm	69012(1.85 X 2.05mm)	10,000
4SNHBLCL-22GW	22mm	69012B(1.85 X 2.05mm)	10,000
4SNHRP-30GW	30mm	69060(1.85 X 2.05mm)	10,000
4SNHRP-22SS	22mm	69012SS(1.85 X 2.05mm)	22,000


C RINGS FLEXIBLE

FENCING



115993_TJEP_CR-5-9-24_C-ringer

APPLICATIONS: Bag Sealing, Rural Wire Fencing, Etc, Car Seat/ Upholstery Manufacturing, Mattress Manufacturing, Wire/ Mesh Joining Applications.



HRC34-1/4: Uses Spotnails® 69020 C-Hog Rings (Similar to Bostitch® RINGSR15100P & RING15100B)

Model	GA	Open Ring	Closure Size	Mag Cap.
HRC34-1/4	15	3/4" 19mm	5/16" - 3/8" 8mm - 10mm	125

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY
4SNCL-12GW	12mm	69026 (1.85 X 2.05mm)	10,000
4SNCL-24GW	24mm	69020 (1.85 X 2.05mm)	10,000



Used by Forestry Commissions, Sawmills, Timber Merchants and Garden Centres. For applying labels to logs, timber packs, fencing and other timber products Avoids damage to tools, saws and planes. Staples are rustproof and both weather and UV resistant.

HEAD SIZE: 15GA, Suits Red Hawk FN15S, Senco SPBN12XP, Omer B17P.763; 17P.32


APPLICATIONS: Boat building, CNC woodworking, cabinet assembly, door manufacturing, tire retreading & repairing.

HEAD SIZE: 1.15mm X 12.7mm, 537.

APPLICATIONS: Estry Commissions, Sawmills, Timber Merchants and Garden Centres. For applying labels to logs, timber packs, fencing and other timber products Avoids damage to tools, saws and planes. Staples are rustproof and both weather and UV resistant.

Part #	
F/15-19	19mm (3/4")
F/15-25	25mm (1")
F/15-32	32mm (1-1/4")
F/15-38	38mm (1-1/2")

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4PPSNF1512	12mm Plastic Finish Nail 15ga	F15-12	2,000	32,000
4PPSNF1515	15mm Plastic Finish Nail 15ga	F15-15	2,000	32,000
4PPSNF1519	19mm Plastic Finish Nail 15ga	F15-19	2,000	32,000
4PPSNF1525	25mm Plastic Finish Nail 15ga	F15-25	2,000	32,000



PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12WVG-3PS	Hammer Tacker	G-3PS	1	10
12WMLT-P	Staple Tacker	LT-P	1	10
13FIBSR5-16	Fasco Plastic Staple Air Tool 6 - 16mm	13FIBSR5-16	1	10
4PPAF0537/10	10mm Plastic Staple (Box qty 5040)	F15-25	1	40

HEADLESS PINS 0.6mm SERIES



SP2340

HEAD SIZE: 0.6mm

CROWN WIDTH: 26.5mm

SUITS: KILBERG JK21/506,
SUPCO 625, BEA 0.6
HEADLESS, SPOTNAIL 23 GA

APPLICATIONS: Trim
Moulding, Furniture &
Cabinet Assembly



SP2340: Uses Spotnails® 23GA Pins

Model	GA	Pin Range	Mag Cap.
SP2340	23	1/2" - 1-9/16" 12mm - 40mm	100

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLSP2340	PNEUMATIC PINNER	SPLSP2430	12mm-40mm	1
4SN0.6/12	12mm	23008	10,000	100,000
4SN0.6/15	15mm	23010	10,000	100,000
4SN0.6/22	22mm	23014	10,000	100,000
4SN0.6/25	25mm	23016	10,000	100,000
4SN0.6/30	30MM	23019	10,000	10,000

NAILS & BRADS

BRADS C1 SERIES

BRADS



CB1850



CB1850



CB1832

HEAD SIZE: 2.0 X 1.0mm

SUITS: All C1, C100, Senco AX, Bostitch 1300, Haubold MINI 1.2, Max FMO 18G, Spotnail C-1 Series

APPLICATIONS: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring Wall Paneling, Drawer Sides.

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLCB1832	PNEUMATIC BADDER	CB1832	12-32mm	1
13SLCB1850	PNEUMATIC BADDER	CB1850	12-50mm	1

GALVANISED

4SNBC112	12mm	18508	5,000	100,000
4SNBC115	15mm	18510	5,000	100,000
4SNBC119	19MM	18512	5,000	100,000
4SNBC125	25MM	18516	5,000	50,000
4SNBC130	30MM	18519	5,000	50,000
4SNBC132	32MM	18520	5,000	50,000
4SNBC135	35MM	18522	5,000	50,000
4SNBC138	38MM	18524	5,000	50,000
4SNBC140	40MM	18525	5,000	50,000
4SNBC145	45MM	18528	5,000	50,000
4SNBC150	50mm	18532	5,000	50,000

STAINLESS

4SNBSSC113	12mm	18508SS	1,000	8,000
4SNBSSC115	15mm	18510SS	1,000	8,000
4SNBSSC119	19mm	18512SS	1,000	8,000
4SNBSSC125	25mm	18516SS	1,000	8,000
4SNBSSC130	30mm	18519SS	1,000	8,000
4SNBSSC132	32mm	18520SS	1,000	8,000
4SNBSSC135	35mm	18522SS	1,000	8,000
4SNBSSC138	38mm	18524SS	1,000	8,000
4SNBSSC145	45mm	18528SS	1,000	8,000
4SNBSSC150	50mm	18532SS	1,000	8,000



CB1850: Uses Spotnails® 18GA AX Brads

*Does not accept 7/8" & 1-1/8" lengths

Model	GA	Brad Range	Mag Cap.
CB1850	18	5/8" - 2" 16mm - 50mm	100

BRADS C SERIES

BRADS



CB1650



WB1650



XB1564

HEAD SIZE: 2.4 X 1.4mm

SUITS: All C, Bostitch 1200C, Haubold 1.6, Paslode F16 Duo-Fast 6000, Max T Brad Kihlberg 516, Spotnail C- Series

APPLICATIONS: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring Wall Paneling, Drawer Sides.

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLW1B1650	PNEUMATIC BADDER	WB1650	16-50mm	1
13SLXB1564	PNEUMATIC BADDER	XB1564	16-64mm	1

GALVANISED

4SNBC16	16mm	16510	5,000	30,000
4SNBC19	19mm	16512	5,000	30,000
4SNBC25	25MM	16516	5,000	30,000
4SNBC30	30MM	16519	5,000	30,000
4SNBC32	32MM	16520	5,000	30,000
4SNBC35	35MM	15522	5,000	30,000
4SNBC38	38MM	16524	5,000	30,000
4SNBC40	40MM	16525	5,000	30,000
4SNBC45	45MM	16528	5,000	30,000
4SNBC50	50MM	16532	5,000	20,000
4SNBC57	57mm	16538	5,000	20,000
4SNBC63	63mm	16540	5,000	20,000

STAINLESS

4SNBSSC25	25mm	16516SS	1,000	8,000
4SNBSSC30	30mm	16519SS	1,000	8,000
4SNBSSC35	35mm	15522SS	1,000	8,000
4SNBSSC38	38mm	16524SS	1,000	8,000
4SNBSSC40	40mm	16525SS	1,000	8,000
4SNBSSC45	45mm	16528SS	1,000	8,000
4SNBSSC50	50mm	16532SS	1,000	8,000
4SNBSSC64	64mm	16540SS	1,000	8,000



CB1650: Uses Spotnails® 16GA Brads

Model	GA	Brad Range	Mag Cap.
CB1650	16	3/4" - 2" 19mm - 50mm	115

STAPLES DA SERIES

NAILS



XBA1564

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLXBA1564	PNEUMATIC BADDER	XBA1564	25-65mm	1
BRIGHT				
4SNBDA13B	25mm	15308APB	3,000	12,000
4SNBDA15B	32mm	15310APB	3,000	12,000
4SNBDA17B	38mm	15312APB	3,000	12,000
4SNBDA19B	45MM	15314APB	3,000	12,000
4SNBDA21B	50MM	15316APB	3,000	12,000
4SNBDA23B	57MM	15318APB	3,000	12,000
4SNBDA25B	65MM	15320APB	3,000	12,000
GALVANISED				
4SNBDA13G	25MM	15308APG	3,000	12,000
4SNBDA15G	32MM	15310APG	3,000	12,000
4SNBDA17G	38MM	15312APG	3,000	12,000
4SNBDA19G	45MM	15314APG	3,000	12,000
4SNBDA21G	50MM	15316APG	3,000	12,000
4SNBDA23G	57MM	15318APG	3,000	12,000
4SNBDA25G	65MM	15320APG	3,000	12,000
STAINLESS				
4SNBDA13SS	25MM	15308APS	3,000	12,000
4SNBDA15SS	32MM	15310APS	4,000	16,000
4SNBDA17SS	38MM	15312APS	1,000	8,000
4SNBDA21SS	50MM	15316APS	4,000	16,000
4SNBDA25SS	65MM	15320APS	4,000	16,000

CROWN WIDTH: 3.1mm

SUITS: Senco P, Paslode W5562, Duo-Fast 17, Kihlberg JK784, Spotnail 3600 Series

APPLICATIONS: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides



XBA1564: Uses Spotnails® 15GA DA Angle Brads (Similar to Senco® DA)

Model	GA	Nail Range	Mag Cap.
XBA1564	15	1" - 2-1/2" 25mm - 64mm	100

STAINLESS STEEL ND SERIES

NAILS



CROWN WIDTH: 3.5mm

SUITS: All ND, Spotnails 14G, PG Series

APPLICATIONS: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides



GA	Crown	Staple Range
14		9/16"-2 1/2" 40mm-62mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SNBSSND40	40mm	FB-ND40SS	2,000	12,000
4SNBSSND50	50mm	FB-ND50SS	2,000	12,000
4SNBSSND62	62mm	FB-ND62SS	2,000	12,000

TM SERIES

NAILS



TEB SERIES

NAILS



HEAD SIZE: 3.2 X 1.9 mm

SUITS: Paslode/ DEWALT Type 16 Gauge Angle

APPLICATIONS: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
4SFTM/32	32mm	16210	2,000	12,000
4SFTM/38	38mm	16212	2,000	12,000
4SFTM/45	45mm	16214	2,000	12,000
4SFTM/50	50mm	16216	2,000	12,000
4SFTM/63	63MM	16220	2,000	12,000



GA	Crown	Staple Range
16		1 1/4"-2 1/2" 32mm-63mm



HEAD SIZE: 3.2 X 1.8mm

APPLICATIONS: Flooring, Skirting



GA	Crown	Staple Range
16		3/4"-1 3/4" 20mm-45mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13ST-1550	TJEP Pneumatic	100426	1	
4TEB20	20mm	FST-20	1,500	15,000
4TEB25	25mm	FST-25	1,500	15,000
4TEB35	35MM	FST-35	1,500	15,000
4TEB45	45MM	FST-45	1,500	15,000



XIC1008



XIC1016



QCND65




UCNM65

FASTENERS WIDTH X THICKNESS: 25.3 X 10.57mm

SUITS: Senco SC2 (10/13mm), Haubold HAWN15 (15mm), Spotnail SIXC1016 (6/10/13mm) Paslode F4P CF-12 & P45C, CF9-15 (10/13mm) W09/W12 Series, Bostitch Nikema-442 (10-13mm) CF Series.

APPLICATIONS: Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joins, Pallet Repair.




GA	Crown	Staple Range
1"		1/2"-3/4" 10-13mm

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
13SLXIC1016	CORRUGATED	XIC1016	1	
4SNU616	10mm	616	11,00	
4SNU816	13mm	816	8,360	

15 DEGREE

SUITS: Max, Bostitch, Makita, Hitachi, Senco, Spotnail Tools



UCNM65: Uses Spotnails® 15° Wire Weldor Plastic Coil Nails

Model	Diameter	Nail Range	Mag Cap.
UCNM65	.083 - .099	1-1/4" - 2-1/2" 32mm - 64mm	300

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY
13SLUCNM65	PLASTIC COLLATED	UCNM65	1
13SFF45CCN15	WIRE COLLATED	CCN15	1
4C-FAP27V5-G	ELETRO GALV HELICAL TWIST	27 X 2.5	6,000
4C-FAP32V5-G	ELETRO GALV HELICAL TWIST	32 X 2.5	6,000
4C-FAP38V5-G	ELETRO GALV HELICAL TWIST	38 X 2.5	6,000
4C-FS35V7-G	ELETRO GALV SCREW SHANK	35 X 2.7	12,000
4C/FS57V5-GW	ELETRO GALV SCREW SHANK	57 X 2.5	9,000
4C-FRP50V5-OH-GKN	GKN GALV RING SHANK	50 X 2.5	4000
4C-FSP50V5-OH-GKN	GKN GALV SCREW SHANK	50 X 2.5	4000

MAX TAPENER

MAX TAPENER



The Ergonomic designed MAX tapener is designed to increase productivity for the Professionals.

Max have decreased the weight by 20% from previous tapeners. which includes Easy loading staples and tape. Increase the durability of the tool and has now become scrape free of tape.

Available in large and small spool tapeners.

MAX TAPE CLASS	TAPE-15	TAPE-25
LENGTH OF ROLL	26m	16m
TAPE LENGTH (required for binding)	Approx 50-80mm	Approx 110-130mm
No. OF TIES PER ROLL	Approx 300-500	Approx 120-140
THICKNESS X WIDTH (MM)	0.15 X 11	0.25 X 11
COLOUR	GREEN	GREEN
MAX CODE	TP91026	TAP91036

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12MXHT90125	MAX Standard Spool Tapener	HT-R45C	1	20
12MXHT90127	MAX Large Spool Tapener	HT-R47L	1	20
11MXTP91026	11mm x .15 x 26mtr (Green)	TAPE- 15	10 Rolls/Box	30
11MXTP91036	11mm x .25 x 16mtr (Green)	TAPE- 25	10 Rolls/Box	30
11MXTP91060	68.26M X 0.15MM (GREEN)	TAPE- 215	10 ROLLS/BOX	15
4MXSMS93302	MAX 640E-L STAPLES	640E-L	4800/BOX	200
8MXTC90045	MAX TAPENER BLADE PACK 2	TC90045	1	30

MAX PACKNER

MAX PACKNER



DSC0648



DSC0649

MAX PACKNER MACHINE

For Bag Closure Using An Aluminum Staple.

FEATURING: High durability, Easy maintenance, No power source required, Simple Operation.

APPLICATIONS: Meat products, Ice cube bags, Frozen foods, Fruit

SPECIFICATIONS:

DIMENSIONS: 162W X 415L X 765H mm

WEIGHT: 6KG,

CAPACITY: 150 staples (11mm)

MAX PNEUMATIC PACKNER - HR-AV2

FEATURES: Simple operation, Height adjustable, Large fastener capacity, Cuts bag neatly

APPLICATIONS: Meat, Poultry, Salami, Pet products, Fruit, ect.

SPECIFICATIONS:

DIMENSIONS: 355W X 459L X 670-730H mm

WEIGHT: 19KG

CAPACITY: 2500 staples (11mm)

PRODUCT	DESCRIPTION	SPOTNAIL CODE	BOX QTY	OUTER
12MXHR91040	PACKNER MACHINE (MANUAL)	HR-PS2	1	2
13MXMR91063	PACKNER MACHINE (PNEUMATIC)	HR-AV2	1	1
4MXSMS99602	11mm MAX ALUMINUM STAPLE	711VO-AR	2000/BOX	20 BOX
4MXSMS99612	13MM MAX ALUMINUM STAPLE	713VO-AR	2000/BOX	20 BOX
4MXSMS99607	11MM MAX REEL STAPLES	MAX 711VO-AR	2500/REEL	20 REELS



- All goods received from ALLFIX must be inspected upon arrival. This is the receiver's responsibility.
- If goods are damaged, short supplied or supplied incorrectly ALLFIX must be notified within 3 days.
- Any goods returned must be accompanied by a copy of the ALLFIX tax invoice.
- If any product is found to be faulty it must be returned within 6 weeks of purchase. NO refunds will be granted after 6 weeks unless by special arrangement with ALLFIX.
- If the buyer fails to notify ALLFIX within 6 weeks any tools will be deemed to be suitable for the application.
- Any goods that are purchased incorrectly will attract a 10% restocking fee and return freight is to be paid by the purchaser.
- All returned stock must be complete and in a saleable condition.
- Credit request forms can be downloaded from the ALLFIX website.





Address:

4 Equator Road,
Thomastown,
Victoria – 3074
Australia.

Postal Address:

PO Box 2605,
Bendigo DC
Victoria – 3554
Australia.

Call us on **1300 255 349** or (03) 9465 8574

Email: sales@allfix.com.au

www.allfix.com.au