

ALLFIX
SOLUTIONS NAILED

PRODUCT CATALOGUE

EDITION 2



WHY USE ALLFIX?

“We Make the Hard Part Easy!”

- Product Range
- Technical Support
- Service
- Quality
- Pricing



ALLFIX
SOLUTIONS NAILED

PO Box 2605 BENDIGO DC VIC 3554

www.allfix.com.au



Allfix are the Australian agents for the **SPOTNAILS** product range. In addition other premium quality products are stocked which complement the range.



Quality products

Spotnails has been one of the leading manufacturers of pneumatically driven fasteners for nearly 70 years. The company manufactures a wide range of industrial fastening products including nails, staples, pins, brads and tools for use in packaging, furniture/woodworking, construction, factory-built housing and many other industries.

With manufacturing facilities in the United States, Korea and China Spotnails is keeping pace with the ever increasing demand for high quality tools and fasteners.

SPOTNAILS "FIRSTS" INCLUDE:

- The FIRST portable nailer to drive fasteners over half an inch long
- The FIRST patented divergent chisel staple
- The FIRST pneumatic nailer with air return
- The FIRST portable nailer for two and one-half inch nails
- The FIRST true brad for magazine loading
- The FIRST nylon coated fasteners



CONTENTS

CONTENTS	PAGE
PLASTIC STAPLES	8
PLASTIC T PINS	8
TACKERS	9-15
STAPLERS - LIGHT WIRE NARROW CROWN	16-17
STAPLERS - MEDIUM WIRE NARROW CROWN	18-19
STAPLERS - MEDIUM WIRE MEDIUM CROWN	19
STAPLERS - HEAVY WIRE MEDIUM CROWN	20
STAPLERS - HEAVY WIRE WIDE CROWN	21-22
STAPLERS - EXTRA HEAVY WIRE MEDIUM CROWN	22
FLOORING AND UNDERLAY	23-24
DECKING TOOL (TEBO)	24
PACKAGING STAPLES	24-28
POLYNET BAGGING STAPLE (FT12)	28
HOG RINGS	29
C RINGS	29
BEDDING	29
PINNERS - BRADDERS - NAILERS	30-36
FUEL CELLS / BRADS	36
HARD STEEL BRADS	37
"T" NAILERS	37
CORRUGATED FASTENERS	38
COIL NAILS	39-41
DECKING NAILS	40
FRAMING NAILS	41
HORTICULTURAL EQUIPMENT & SUPPLIES	42-44
BUNCHING MACHINE	44
PACKNER EQUIPMENT	45

ALLFIX REFERENCE GUIDE - ALPHA/NUMERIC BY SERIES/“SIMILAR TO”.

STAPLES

Series	Suits/Similar to	Page
A-11 Rapid	140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
B Senco	80 Series, Kihlberg 680, Haubold 800, Bostitch 86, SPOTNAILS 80 Series.	17
B Series	Able 287, Bostitch SW7437, SPOTNAILS 7437.	27
BCS15	Bostitch BCS-1500, SPOTNAILS 7500 Series.	23
BCS2-2500	Bostitch S2, BCS2-2500, SPOTNAILS 1600 Series.	21, 22
BCS31	Bostitch BCS31 Bedding, SPOTNAILS 619 TRD Series.	29
BCS4-1200	Bostitch S4, BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	23
B-8 Series	JK8, Bostitch STCR2115, Max 2115.	13
C Senco	71, Kihlberg 670, SPOTNAILS 17 Series.	14, 15
DWS “A”	Paslode 292, Able 35, DWS “A”, SW9040, SPOTNAILS 35 Series.	26
G4450	Senco M Series, Paslode GSI-18, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	19
G5562 Paslode	Senco N Series, BeA 14/155, Kihlberg 783, SPOTNAILS 6600 Series.	20
GSI-18 Paslode	Senco M Series, G4450, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	19
HH757 Rankin	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/34, SPOTNAILS 11.	9
Hotshot	Arrow T50/T55/HT50, Bostitch T200, Rapid 14/34, Rankin HH757, SPOTNAILS 11.	9
HT50 Arrow	Arrow T50/T55, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757, SPOTNAILS 11.	9
J-06/08/16/18	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	12
JT21 Arrow	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow T27, Max 1000F, SPOTNAILS 20 Series.	12
L Senco	90 Series, Kihlberg 781, Haubold 6000, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
L3	695, L3 Packaging Series, Rapid 31, 73.	24
M Senco	G4450, Paslode GSI-18, Duo-Fast W-18, Kihlberg 782, SPOTNAILS 6800 Series.	19
N Senco	Paslode G5562, BeA 14/155, Kihlberg 783, SPOTNAILS 6600 Series.	20
P Senco	Kihlberg 784, Paslode W5562, Duo-Fast 17, SPOTNAILS 3600 Series.	21
Q Senco	Senco Q, Q6774, SPOTNAILS 6500 Series.	22
Q6774	Senco Q, SPOTNAILS 6500 Series.	22
RM137	97 Series, Kihlberg 690, SPOTNAILS 97 Series.	16
SB103020	Bostitch P50-10B Packaging Stapler, SB103020, SPOTNAILS SB103020 Series.	27
SB5019	Bostitch P50-5B Packaging Stapler, SB5019 Series.	28
STCR 5019	694 Series, Bostitch STCR 5019.	13
SX Bostitch	90 Series, Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, SPOTNAILS 4800 Series.	18, 19
SW9040	Paslode 292, Able 35, DWS “A”, SW9040 Carton Sealer, SPOTNAILS 35 Series.	26
SW7437	Able 287, “B”, Bostitch SW7437 Packaging, SPOTNAILS 7437 Series.	27
SWC7437	Bostitch SWC7437 Coil Packaging, SPOTNAILS BRCC Series.	27
S2 Bostitch	Bostitch BCS2-2500, SPOTNAILS 1600 Series.	21, 22
S4 Bostitch	Bostitch BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	23
T18 Arrow	Rapid 28, Rexel 37CTU, SPOTNAILS 28 Series.	11
T200 Bostitch	Arrow T50/T55/HT50 A11, Bostitch Hotshot A-11, Rapid 14/34, Rankin HH757, SPOTNAILS A-11 Series.	9
T27 Arrow	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21, Max 1000F, SPOTNAILS 20 Series.	12
T50/55 Arrow	Arrow HT50, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757, SPOTNAILS 11 Series.	9
W-18 Duo-Fast	Senco M Series, G4450, Paslode GSI-18, Kihlberg 782, SPOTNAILS 6800 Series.	19
W5562 Paslode	Senco P Series, Kihlberg 784, Duo-Fast 17, SPOTNAILS 3600 Series.	21

REFERENCE GUIDE

STAPLES (Continued)

Series	Suits/Similar to	Page
1000F Max	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, SPOTNAILS 20 Series.	12
11 Spotnail	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/34, Rankin HH757.	9
13 Rapid	Rapid 13/23/30/33, SPOTNAILS R-19 Series.	11
14 Rapid	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 34, Rankin HH757, SPOTNAILS A-11 Series.	9
140	Rapid A-11, 140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
1400 Haubold	Haubold 1400, SPOTNAILS 1400 Series.	14
14/155 BeA	Senco N Series, Paslode G5562, Kihlberg 783, SPOTNAILS 6600 Series.	20
17 Duo-Fast	Senco P Series, Kihlberg 784, Paslode W5562 Series.	21
1800 Duo-Fast	90 Series, Kihlberg 781, Haubold 6000, Senco L, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
20 Bostitch	Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	12
2001 Rexel	Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	12
24 Rapid	Rapid 24/44, Max No. 3, SPOTNAILS 3 Series.	12
28 Rapid	Rexel 37CTU, Arrow T18, SPOTNAILS 28 Series.	11
287 Able	"B", Bostitch SW7437 Packaging, SPOTNAILS 7437 Series.	27
292 Paslode	Able 35, DWS "A", SW9040, SPOTNAILS 35 Series.	26
No. 3 Max	Rapid 24/44, Max No. 3, SPOTNAILS 3 Series.	12
30 Rapid	Rapid 13/30/33, SPOTNAILS R19 Series.	11
32 Able	Kihlberg 561 Carton Sealer, SPOTNAILS 32 Series.	25, 26
33 Rapid	Rapid 13/30/33, SPOTNAILS R19 Series.	11
34 Rapid	Arrow T50/T55/HT50, Bostitch T200 & Hotshot, Rapid 14/44, Rankin HH757, SPOTNAILS A-11 Series.	9
35 Able	Paslode 292, DWS "A", SW9040, SPOTNAILS 35 Series.	26
37CTU Rexel	Rapid 28, Arrow T-18, SPOTNAILS 28 Series.	11
400MA Max	90 Series, Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
4000 Haubold	Haubold 4000, SPOTNAILS 4000 Series.	16
44 Rapid	Rapid 24/44, Max No. 3 Series.	12
5000C	Duo-Fast 5000C Series, Kihlberg 64.	19
53 Rapid	Bostitch 20, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, SPOTNAILS 20 Series.	12
561 Kihlberg	Able 32 Carton Sealer, SPOTNAILS 32 Series.	25, 26
590 Kihlberg	Kihlberg 590 Packaging Series.	28
6000 Haubold	90 Series, Kihlberg 781, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
670 Kihlberg	71 Series, Senco C, SPOTNAILS 71 Series.	14, 15
671 Kihlberg	Rapid A-11, 140, Kihlberg 671 Hammer Tacker, SPOTNAILS A-11 Series.	9
680 Kihlberg	80 Series, Haubold 800, Senco B, Bostitch 86, SPOTNAILS 80 Series.	17
690 Kihlberg	97 Series, RM137, SPOTNAILS 97 Series.	16
694	694 Series, Bostitch STCR 5019, SPOTNAILS 5019 Series.	13
695	695, L3 Packaging Series, Rapid 31, 73.	24
71	71 Series, Kihlberg 670, Senco C, SPOTNAILS 71 Series.	14, 15
73	Rapid 31, Kihlberg 695, L3 Markwell.	24
7437	'B' Series, Able 287, Bostitch SW 7437, SPOTNAILS 7437.	27
777 Kihlberg	Kihlberg 777 Packaging Series, SPOTNAILS 777 Series.	24
779 Kihlberg	Kihlberg 779 Series, SPOTNAILS 779 Series.	29
781 Kihlberg	90 Series, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
782 Kihlberg	Senco M Series, G4450, Paslode GSI-18, Duo-Fast W-18, SPOTNAILS 6800 Series.	19
783 Kihlberg	Senco N Series, Paslode G5562, BeA 14/155, SPOTNAILS 6600 Series.	20
784 Kihlberg	Senco P Series, Paslode W5562, Duo-Fast 17, SPOTNAILS 3600 Series.	21
8 Kihlberg	SPOTNAILS B-8, Bostitch STCR 2115, Max 2115.	13
80	80 Series, Kihlberg 680, Haubold 800, Senco B, Bostitch 86 Series, BeA 80, SPOTNAILS 80 Series.	17
800 Haubold	80 Series, Kihlberg 680, Senco B, Bostitch 86, SPOTNAILS 80 Series.	17
86 Bostitch	80 Series, Kihlberg 680, Haubold 800, Senco B Series.	17
90	Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, SPOTNAILS 4800 Series.	18, 19
900T Max	Bostitch S4, BCS4-1200, Max TA557 Flooring Stapler 900T, SPOTNAILS 7600 Series.	23
97	97 Series, Kihlberg 690, RM137, SPOTNAILS 97 Series.	16


PINS/BRADS

Series	Suits/Similar to	Page
AX	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g Series.	31, 32
C	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
C1	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	31, 32
C100	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	31, 32
DA	DA Angled, SPOTNAILS 15g Angle Brad Series.	34
FMO Max	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	31, 32
FN	FN Angled, Bostitch FN1500, Max KBTO Series.	35
FN1500	FN Angled, Bostitch FN1500, Max KBTO, SPOTNAILS 15G, FNG Series.	35
FNG 1600	Paslode TrimMaster®, DeWalt® 16g angle brad.	36
F16	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
JK-21/506	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 3240 Series.	30
KBTO Max	FN Angled, Bostitch FN1500, Max KBTO, SPOTNAILS 15G, FNG Series.	35
ND	ND, SPOTNAILS 14G, PG Series.	35
T-BRAD Max	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
0.6	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 23g, Pins Series.	30
0.8	0.8mm Paslode Headless Series.	30, 31
1.2 Mini	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	31, 32
1200C	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
1300	C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18g, SPOTNAILS C-1 Series.	31, 32
1.6	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
516	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
6000	C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T, Kihlberg 516, SPOTNAILS C Series.	32, 33
625	0.6mm Headless, Kihlberg JK21/506, Supco 625, BeA 0.6, SPOTNAILS 2340 Series.	30
AZ	1.2mm Headless Pins	31

PLASTIC STAPLES + T PINS

PLASTIC STAPLES / T PINS

Applications: For use in the timber industry.
Also for insulation foil installation.



13ETR13 HEAVY DUTY PLASTIC STAPLE TACKER



Usage: Timber Industry. Insulation foil installation. Suitable for both Plastic T and Staple types.

Weights 0.52 kg

Dimensions: 180L x 25.4W x 120H mm

ORDER CODE	DESCRIPTION
13ETR13	PLASTIC STAPLE HANDTACKER

PLASTIC STAPLES & T PINS

Crown Width: 10mm .1.15mm Ø

ORDER CODE	LEG LENGTH	DESCRIPTION	BOX
4PPSVT/9	9mm	PLASTIC T PIN	6,000
4PPSUT/9	9mm	PLASTIC STAPLE	3,000

STAPLES II SERIES

Crown Width: 10.6mm

Suits: Spotnails 11, Arrow T50/T55/HT50, Bostitch T200 & Hotshot Rapid 14/34, Rankin HH757 series.

Applications: House Wrapping, Labelling, Carpet Laying



13SL85000 HAMMER TACKER

This robust hammer Rear Load tacker is ideal for insulation, vapour barrier or felt work. It has an ergonomic grip and is of all-steel construction. A proven long life product.

Weights 0.96 kg **Dimensions:** 300L x 50W x 50H mm



12WMG-101 TOP LOAD HAMMER TACKER

Robust. Compact. Well balanced. Latest design.


Weights 0.68 kg
Dimensions:
285L x 35W x 50H mm



12WMLT-1 STAPLE TACKER

Robust. Easy squeeze design. With Cable Wire Depth Feature

Weights 1.05 kg
Dimensions:
180L x 30W x 150H mm




ORDER CODE	DESCRIPTION
13SL85000	SPOTNAILS A11 HAMMER TACKER
12WMG-101	TOP LOAD A11 HAMMER TACKER
12WMLT-1	EASY SQUEEZE STAPLE TACKER

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSA11/06	85504	6mm	5,000	100,000
4SNSA11/08	85505	8mm	5,000	100,000
4SNSA11/10	85506	10mm	5,000	100,000
4SNSA11/12	85508	12mm	5,000	100,000
4SNSA11/14	85509	14mm	5,000	100,000

STAPLES II SERIES STAINLESS STEEL

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4NSSSA11/06	85504SS	6mm	5,000	100,000
4NSSSA11/10	85506SS	10mm	5,000	100,000



TACKERS

13SL136400 CAP HAMMER TACKER



by National Nail™

TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SL136400	168 Staples / 168 Caps	10mm	20 Gauge	N/A

Applications: Roofing Felt, Housewrap

Features: Uses 4SN136420 Staples, Airless Cap System

Weight: 1.06 kg **Dimensions:** 430L x 51W x 127H mm



13SLGCS8116 20 GAUGE CAP STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLGCS8116	200 Staples / 200 Caps	16mm	20 Gauge	Adjustable

Applications: Installing Housewrap, Roofing Felt

Features: Uses 4SN136225 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

Weight: 1.79 kg **Dimensions:** 356L x 191W x 178H mm

13SLTCS6832 CROSSFIRE 18 GAUGE CAP STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLTCS6832	200 Staples / 200 Caps	16mm & 22mm 32mm & 38mm	18 Gauge 18 Gauge	Front

Applications: Installing Housewrap, Roofing Felt, Foam Board

Features: Uses 4SN136025 - 136095 Staples, 3/8" Crown Staples, Blue Adjustable Trigger, Rubber Grip for Comfort, Quick Clear Nose, Plastic Carrying Case Included

Weight: 2.15 kg **Dimensions:** 343L x 241W x 216H mm

ORDER CODE	DESCRIPTION
13SL136400	CAP HAMMER TACKER
13SLGCS8116	PNEUMATIC 20 GAUGE CAP STAPLER
13SLTCS6832	PNEUMATIC CROSSFIRE 18 GAUGE CAP STAPLER

CAP STAPLES TO SUIT ABOVE	BOX QTY	CARTON QTY
For Use in 13SL136400 Tool 4SN136420 10mm with Cap	2016	12096
For Use in 13SLTCS6832 Tool 4SN136025 16mm 4SN136045 22mm 4SN136075 32mm 4SN136095 38mm	2000 2000 2000 2000	12000 12000 12000 12000
For Use in 13SLGCS8116 Tool 4SN136225 16mm	2000	12000




STAPLES 13 SERIES (TACKER STAPLE)

Crown Width: 10.50mm **Suits:** Rapid 13/19/28/30/33

Applications: Fabric, Labeling, Decoration Fixing

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS13/06	84504	6mm	5,000	250,000
4S13/08	—	8mm	10,800	216,000
4S13/10	—	10mm	9,000	180,000




CABLE TACKER STAPLES STAPLES 28 SERIES GALVANISED

Crown Width: 9.5mm

Suits: Rapid 28, Rexel 37 CTU, Arrow 18

Applications: Securing Cables

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS28/09	46106	9mm	5,000	40,000



12APAT-761 HEAVY DUTY CABLE TACKER



- Similar to Rapid28, Rexel37CTU, ArrowT18
- Professional heavy duty cable tacker. For low voltage cables (<50V)
- Robust durable all steel construction
- Nickel finish for rust and corrosion resistance
- Low staple refill window
- Uses 9-11mm Staples (Suits 4.8mm Ø Cable)

Weight: 0.83 kg **Dimensions:** 183L x 32W x 155H mm

ORDER CODE	DESCRIPTION
12APAT-761	CABLE TACKER - NICKEL PLATED USES 9-11MM STAPLES

TACKERS



STAPLES 20 SERIES

Crown Width: 11.2mm **WireSize:** 0.75 x 0.52mm (23 gauge).

Suits: Bostitch 20, Rapid 53, Novus J-06/J-08/J-16/J-18, Rexel 2001, Arrow JT21/T27, Max 1000F, Spotnails 20 series.

Applications: Labeling, Upholstery

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS20/04	72003	4mm	10,000	360,000
4SNS20/06	72004	6mm	10,000	240,000
4SNS20/08	72005	8mm	10,000	240,000
4SNS20/10	72006	10mm	10,000	200,000
4SNS20/13	72008	13mm	10,000	200,000




STAPLES 24 SERIES

Crown Width: 11.5mm **WireSize:** 0.7mm.

Suits: Rapid 24/44, Max No.3 series.

ORDER CODE	DESCRIPTION	LEG LENGTH	BOX	OUTER
4MXSMS92513	MAX No.3 STAPLE	6mm	1,000	200,000
4MXSMS92630	MAX T3-10MB STAPLE	10mm	1,000	200,000
4MXSMS92619	MAX T3-13MB	13mm	1,000	200,000
4MXSMS92620	MAX T3-13MH HARDENED	13mm	1,000	200,000



12MXSTG-D TACKER STAPLER



ORDER CODE	DESCRIPTION
12MXSTG-D	PAINTED FINISH TACKER
12MXSTG-A	NICKEL FINISH TACKER

Applications: Upholstery, Posters, Woodworking, Carpet Laying.

Features: Japanese Manufacture, Light Weight & Compact in Size.


Weight: 0.72 kg **Dimensions:** 176L x 34W x 151H mm



STAPLES 694 SERIES GALVANISED

Crown Width: 12.5mm **Suits:** 694, Bostitch STCR 5019 series.

Applications: Packaging Staple



12WMG 5-R SERIES TACKER

Robust unit. Lever action tacker. **ALL METAL.**
Suitable for staples 9 - 14mm in length.

Weights 1.02 kg

Dimensions:
142L x 42W x 148H mm

Applications:
House Wrapping,
Labeling, Craft Work



130PHSP12 PLIER STAPLER

Industrial type. Rear loading.
Uses 694, STCR 5019, Durodune, 73 Series and some
Rapid series staples. 6mm - 12mm length staples

Weights 0.47 kg **Throat Size:** 15mm x 70mm



ORDER CODE	DESCRIPTION
12WMG5	GS-R SERIES TACKER
130PHSP12	SUITABLE FOR USE WITH 694, STCR5019 AND 73 SERIES STAPLES

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS694/06	82504	6mm	5,000	100,000
4SNS694/09	82506	9mm	5,000	100,000
4SNS694/12	82508	12mm	5,000	100,000

B-8 SERIES

Crown Width: 10.5mm

Similar to JK8, Bostitch STCR2115, Max 2115



12MXSHP-88 PLIER STAPLE

ORDER CODE	DESCRIPTION
12MXHP90026	MAX PLIER STAPLER

Features: Japanese Quality.

Weight: 0.36 kg **Dimensions:** 190L x 27W x 88H mm

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSB-8/06	78504	6mm	5,000	500,000
4SNSB-8/10	78506	10mm	5,000	500,000


TACKERS

STAPLES 1400 SERIES GALVANISED

Crown Width: 10.1mm **WireSize:** 0.6 x 0.75mm (22 gauge).

Suits: Haubold 1400, Spotnails 1400 series.

Applications: Furniture, Upholstery, Footwear, Curtain Manufacturing.



13TE14H16 STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE
13TE14H16	180	4-16mm

Weight: 0.77 kg **Dimensions:** 235L x 45W x 168H mm

ORDER CODE	DESCRIPTION
13TE14H16	PNEUMATIC STAPLER (EUROPEAN)


ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS1406	99004	6mm	10,000	200,000
4SNS1408	99005	8mm	10,000	200,000
4SNS1410	99006	10mm	10,000	200,000
4SNS1412	99008	12mm	10,000	200,000
4SNS1414	99009	14mm	10,000	200,000

STAPLES 71 SERIES

Crown Width: 9.1mm **WireSize:** 0.6 x 0.75mm (22 gauge).

Suits: all 71. Kihlberg 670, Senco C, Spotnails 71 series.

Applications: Upholstery, Automotive Vinyl Trim, Insulation etc



13SLIS7116 UPHOLSTERY STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLIS7116	100 Staples	4-16mm	.030 Gauge	Rear

Features: Rear Exhaust

Weight: 0.97 kg **Dimensions:** 235L x 38W x 153H mm

13SLJS7116 STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLJS7116	100 Staples	4-14mm	22 Gauge	Front

Applications: Upholstery, Automotive Vinyl & Interior Trim, Insulation, Installation of Wire Screens

Features: Uses Spotnails 71 Series Staples.

Weight: 0.97 kg **Dimensions:** 203L x 38W x 152H mm

13SLBS7116AF STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLBS7116AF	200 Staples	4-14mm	22 Gauge	Rear

Applications: Upholstery, Automotive Vinyl & Interior Trim, Insulation

Features: Uses Spotnails 71 Series Staples.

Weight: 1.08 kg **Dimensions:** 388L x 38W x 140H mm

13TE7116 STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13TE7116	180 Staples	4-16mm	22 Gauge	Front

Applications: Furniture, Upholstery, Automotive Vinyl & Interior Trim, Insulation

Features: European Made.

Weight: 0.86 kg **Dimensions:** 235L x 45W x 168H mm

ORDER CODE	DESCRIPTION
13SLIS7116	PNEUMATIC TACKER - REAR EXHAUST
13SLJS7116	PNEUMATIC TACKER - SPOTNAILS
13SLBS7116AF	SPOTNAILS AUTOFIRE PNEUMATIC TACKER
130PGLTR7116	PNEUMATIC TACKER
13TE7116	PNEUMATIC TACKER (EUROPEAN)

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS71/04	87002.5	4mm (5/32")	10,000	200,000
4SNS71/05	87003	5mm (3/16")	10,000	200,000
4SNS71/06	87004	6mm (1/4")	10,000	200,000
4SNS71/08	87005	8mm (5/16")	10,000	200,000
4SNS71/10	87006	10mm (3/8")	10,000	200,000
4SNS71/11	87007	11mm (7/16")	10,000	200,000
4SNS71/12	87008	12mm (1/2")	10,000	200,000
4SNS71/14	87009	14mm (9/16")	10,000	200,000



STAPLERS - LIGHT WIRE NARROW CROWN

STAPLES 4000 SERIES GALVANISED

Crown Width: 4.9mm **WireSize:** 0.65 x 0.95mm (21 gauge).

Suits: Haubold 4000, Spotnails 4000 series.

Applications: Cabinet Making, Picture Framing, Carpet Laying.




ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS4006	59504	6mm	5,000	100,000
4SNS4008	59505	8mm	5,000	100,000
4SNS4010	59506	10mm	5,000	100,000
4SNS4012	59508	12mm	5,000	100,000
4SNS4014	59509	14mm	5,000	100,000
4SNS4016	59510	16mm	5,000	100,000
4SNS4019	59512	19mm	5,000	100,000
4SNS4022	59514	22mm	5,000	100,000

STAPLES 97 SERIES GALVANISED

Crown Width: 4.5mm **WireSize:** 0.65 x 0.95mm (21 gauge).

Suits: all 97, Kihlberg 690, RM137, Spotnails 97 series.

Applications: Cabinet Making, Picture Framing, Carpet Laying.



13SLCS3925 STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLCS3925	110 Staples	6-25mm	21 Gauge	Adjustable

Weight: 1.20 kg **Dimensions:** 220L x 53W x 190H mm

ORDER CODE	DESCRIPTION
13SLCS3925	SPOTNAILS 97 SERIES STAPLER

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS97/06	97504	6mm	5,000	100,000
4SNS97/08	97505	8mm	5,000	100,000
4SNS97/10	97506	10mm	5,000	100,000
4SNS97/12	97508	12mm	5,000	100,000
4SNS97/14	97509	14mm	5,000	100,000
4SNS97/16	97510	16mm	5,000	100,000
4SNS97/19	97512	19mm	5,000	100,000
4SNS97/22	97514	22mm	5,000	100,000


STAPLERS - LIGHT WIRE NARROW CROWN

STAPLES 80 SERIES GALVANISED

Crown Width: 12.9mm **WireSize:** 0.65 x 0.95mm (21 gauge).

Suits: all 80, Kihlberg 680, Haubold 800, Senco B, Bostitch 86, BeA80, Spotnails 80 series.

Applications: Upholstery, Roofing Felt, Screening



13SLJS8016LN

(LONG NOSE)



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	CROWN	EXHAUST
13SLJS8016LN	100 Staples	3 -14mm	20 Gauge	1/2"	Front
13SLJS8016	100 Staples	3 -14mm	20 Gauge	1/2"	Front

Features: Uses Spotnails 80 Series Staples.

Weight: 1.05 kg **Dimensions:** 216L x 44W x 203H mm

ORDER CODE	DESCRIPTION
13SLJS8016LN	SPOTNAILS PNEUMATIC TACKER - LONG NOSE
13SLJS8016	SPOTNAILS PNEUMATIC TACKER - STANDARD NOSE
13TXARX - 8016A	PNEUMATIC TACKER (AUTOFIRE)

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS80/04	98002.5	4mm	10,000	180,000
4SNS80/047	98003	4.7mm	10,000	180,000
4SNS80/06	98004	6mm	10,000	180,000
4SNS80/08	98005	8mm	10,000	180,000
4SNS80/10	98006	10mm	10,000	180,000
4SNS80/11	98007	11mm	10,000	180,000
4SNS80/12	98008	12mm	10,000	180,000
4SNS80/14	98009	14mm	10,000	180,000
4SNS80/16	98010	16mm	10,000	180,000



(STANDARD NOSE)

STAPLES 80 SERIES STAINLESS STEEL

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSSS80/04	98002.5SS	4mm	10,000	180,000
4SNSSS80/06	98004SS	6mm	10,000	180,000
4SNSSS80/08	98005SS	8mm	10,000	180,000
4SNSSS80/10	98006SS	10mm	10,000	180,000
4SNSSS80/12	98008SS	12mm	10,000	180,000
4STJSS80/14	98010SS	14mm	10,000	180,000




STAPLERS - MEDIUM WIRE NARROW CROWN

STAPLES 90 SERIES GALVANISED

Crown Width: 5.5mm **WireSize:** 1.0 x 1.25mm (18 gauge).

Suits: all 90, Kihlberg 781, Haubold 6000, Senco L, Duo-Fast 1800, Max 400MA, Bostitch SX, Spotnails 4800 series.

Applications: Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer and Cabinet Assembly



13SLTS4825 18 GAUGE NARROW CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLTS4825	168 Staples	9mm - 25mm	18 Gauge	Adjustable

Features: Uses Spotnails™ 4800, Senco™ L, & Duo-Fast™ 1800 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Noise, Plastic Carrying Case Included

Weight: 1.36 kg **Dimensions:** 241L x 64W x 210H mm

13SLWS4840 18 GAUGE NARROW CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLWS4840	168 Staples	12mm - 40mm	18 Gauge	Adjustable

Applications: Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer and Cabinet Assembly

Features: Uses Spotnails™ 4800, Senco™ L, & Duo-Fast™ 1800 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger, Plastic Carrying Case Included, Long Magazine is Available (WS4840LM)

Weight: 1.62 kg **Dimensions:** 305L x 64W x 241H mm

ORDER CODE	DESCRIPTION
13SLTS4825	SPOTNAILS PN STAPLER 90 SERIES TO 25MM
13SLWS4840	SPOTNAILS PN STAPLER 90 SERIES TO 40MM
13SLWS4840LM	WITH LONG MAGAZINE

ORDER CODE	SPOTNAILS #	LEG LENGTH (Senco Code)	BOX	CARTON
4SNS90/09	4803	9mm (L08BAB)	5,000	50,000
4SNS90/12	4804	12mm (L09BAB)	5,000	50,000
4SNS90/14	4804.5	14mm	5,000	50,000
4SNS90/16	4805	16mm (L10BAB)	5,000	50,000
4SNS90/18	4805.5	18mm	5,000	50,000
4SNS90/19	4806	19mm (L11BAB)	5,000	50,000
4SNS90/22	4807	22mm (L12BAB)	5,000	50,000
4SNS90/25	4808	25mm (L13BAB)	5,000	50,000
4SNS90/28	4809	28mm (L14BAB)	5,000	30,000
4SNS90/30	4809.5	30mm	5,000	30,000
4SNS90/32	4810	32mm (L15BAB)	5,000	30,000
4SNS90/35	4811	35mm (L16BAB)	5,000	30,000
4SNS90/35N	4811PN	35mm - Nylon Coated	5,000	30,000
4SNS90/38	4812	38mm (L17BAB)	5,000	30,000

STAPLES 90 SERIES STAINLESS STEEL

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4NSSS90/19	4806PS	19mm	5,000	25,000
4NSSS90/25	4808PS	25mm	5,000	25,000
4NSSS90/32	4810PS	32mm	5,000	25,000
4NSSS90/38	4812PS	38mm	5,000	25,000



STAPLERS - MEDIUM WIRE MEDIUM CROWN

STAPLES 90 SERIES ALUMINIUM


ORDER CODE	LEG LENGTH	BOX	CARTON
4SAL90/30	30mm	4,400	52,800

Applications: Case Backing, Drawer Assembly, Trim Moulding, Heavy Cabinet, *Vinyl Siding Installation

STAPLES M SERIES COATED

Crown Width: 10.2mm **WireSize:** 1.0 x 1.25mm (18 gauge).

Suits: Senco M, G4450, Paslode GSI -18, Duo-Fast W-18, Kihlberg 782, Spotnails 6800 series.



13SLTS6825 18 GAUGE MEDIUM CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLTS6825	168 Staples	9 -25mm	18 Gauge	Adjustable

Features: 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Noise, Plastic Carrying Case Included

Weight: 1.36 kg **Dimensions:** 241L x 64W x 210H mm.

ORDER CODE	DESCRIPTION
13SLTS6825	SPOTNAILS M SERIES TO 25MM

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4SNSM06BAB	6803	10mm	5,000	50,000
4SNSM08BAB	6804	13mm	5,000	50,000
4SNSM10BAB	6805	16mm	5,000	50,000
4SNSM11BAB	6806	19mm	5,000	50,000
4SNSM13BAB	6808	25mm	5,000	50,000
4SNSM15BAB	6810	32mm	5,000	30,000


STAPLES 5000C SERIES

Crown Width: 12.4mm **WireSize:** 0.88 (21 gauge).

Suits: Duo-Fast 5000C, Kihlberg 64 series.

Applications: Case Backing, Drawer Assembly, Trim Moulding, Heavy Cabinet, *Vinyl Siding Installation

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4SNS5008C/06	35504	6mm	5,000	100,000
4SNS5010C/08	35505	8mm	5,000	100,000
4SNS5012C/10	35506	10mm	5,000	100,000
4SNS5016C/12	35508	12mm	5,000	100,000
4SNS5018C/14	35509	14mm	5,000	100,000



STAPLERS - HEAVY WIRE MEDIUM CROWN

STAPLES N SERIES COATED

Crown Width: 10.5mm **WireSize:** 1.4 x 1.6mm (16 gauge).

Suits: Senco N, Paslode G5562, BeA 14/155, Kihlberg 783, Spotnails 6600 series.

Applications: Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding.



13SLXS6650 16 GAUGE MEDIUM CROWN STAPLER

TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLXS6650	150 Staples	16mm - 50mm	16 Gauge	Adjustable

Features: Uses Spotnails™ 6600 & 5600, Senco™ N, & Duo-Fast™ 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

Weight: 2.04 kg **Dimensions:** 369L x 102W x 254H mm

13SLMS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLMS6650i	150 Staples	16mm - 50mm	16 Gauge	Adjustable

Applications: Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding.

Features: Uses Spotnails™ 6600 & 5600, Senco™ N, & Duo-Fast™ 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included


Weight: 2.69 kg **Dimensions:** 369L x 115W x 267H mm

ORDER CODE	DESCRIPTION
13SLXS6650	PNEUMATIC STAPLER - N SERIES TO 50MM
13SLMS6650i	PNEUMATIC STAPLER - N SERIES TO 50MM INDUSTRIAL DUTY

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4SNSN08BAB	—	12mm	5,000	10,000
4SNSN10BAB	6605	16mm	5,000	10,000
4SNSN11BAB	6606	19mm	5,000	10,000
4SNSN12BAB	6607	22mm	5,000	10,000
4SNSN13BAB	6608	25mm	5,000	10,000
4SNSN14BAB	6609	28mm	5,000	10,000
4SNSN15BAB	6610	32mm	5,000	10,000
4SNSN16BAB	6611	35mm	5,000	10,000
4SNSN17BAB	6612	38mm	5,000	10,000
4SNSN19BAB	6614	44mm	5,000	10,000
4SNSN21BAB	6616	50mm	5,000	10,000

STAPLES N SERIES COATED HIGH TENSILE WIRE

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4SNSN11BBB	6606H	19mm	5,000	10,000




STAPLERS - HEAVY WIRE WIDE CROWN

STAPLES P SERIES COATED

Crown Width: 26.5mm **WireSize:** 1.4 x 1.6mm (16 gauge).

Suits: Senco P, Paslode W5562, Duo-Fast 17, Kihlberg JK784, Spotnails 3600 series.

Applications: Insulating Material, Packaging, Crafting, Roofing, Lathing



13SLXS3640 16 GAUGE WIDE CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLXS3640	150 Staples	16mm - 40mm	16 Gauge	Adjustable

Features: Uses Spotnails™ 3600, Senco™ P, & Duo-Fast™ 1700 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

Weight: 2.3 kg **Dimensions:** 356L x 89W x 248H mm.

ORDER CODE	DESCRIPTION
13SLXS3640	SPOTNAILS WIDE CROWN STAPLER TO 40MM

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSP08BAB	—	13mm	5,000	10,000
4SNSP10BAB	3605	16mm	5,000	10,000
4SNSP11BAB	3606	19mm	5,000	10,000
4SNSP12BAB	3607	22mm	5,000	10,000
4SNSP13BAB	3608	25mm	5,000	10,000
4SNSP15BAB	3610	32mm	5,000	10,000

STAPLES BCS2 SERIES

Crown Width: 25.0mm **WireSize:** 16 gauge

Suits: Bostitch BCS2-2500 series.

Applications: Insulating Material, Packaging, Crafting, Roofing*, Lathing*

13SLXS1640 16 GAUGE WIDE CROWN STAPLER



TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLXS1640	150 Staples	16mm - 40mm	16 Gauge	Adjustable

Features: Uses Spotnails™ 1600 Staples & Bostitch™ S2 Wide Crown Staples 360° Adjustable Exhaust, Restrictive Trigger Available, Quick Clear Nose, Plastic Carrying Case Included

Weight: 2.30 kg **Dimensions:** 356L x 89W x 248H mm.

STAPLERS - HEAVY WIRE WIDE CROWN



13SLXS1650 16 GAUGE WIDE CROWN STAPLER

TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLXS1650	150 Staples	25mm - 50mm	16 Gauge	Adjustable

Applications: Lathing* , Box Making, Lounge Framing, Frame & Truss Assembly.

Features: Uses Spotnails™ 1600 Staples & Bostitch™ Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available, Plastic Carrying Case Included.

Weight: 2.33 kg **Dimensions:** 356L x 89W x 248H mm

ORDER CODE	DESCRIPTION
13SLXS1640	SPOTNAILS WIDE CROWN STAPLER 16-40mm
13SLXS1650	SPOTNAILS WIDE CROWN STAPLER 25-50mm

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX
4SNBCS2-2516	1605PG	16mm	10,000
4SNBCS2-2519	1606PG	19mm	10,000
4SNBCS2-2522	1607PG	22mm	10,000
4SNBCS2-2525	1608PG	25mm	10,000
4SNBCS2-2532	1610PG	32mm	10,000


STAPLERS - EXTRA HEAVY WIRE MEDIUM CROWN

STAPLES Q SERIES COATED

Crown Width: 11.3mm **WireSize:** 1.65 x 1.85mm.

Suits: Senco Q, Q6774, Spotnails 6500 series.

Applications: Crating, Furniture & Window manufacture.



13SLMS6564 15 GAUGE MEDIUM CROWN STAPLER

TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLMS6564	138 Staples	40mm - 64mm	15 Gauge	Adjustable

Features: 360° Adjustable Exhaust, Restrictive Trigger, Plastic Carrying Case Included

Weight: 2.47 kg **Dimensions:** 369L x 102W x 280H mm

ORDER CODE	DESCRIPTION
13SLMS6564	SPOTNAILS Q SERIES STAPLER TO 64MM

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX
4SNSQ17BAB	6512	38mm	10,300
4SNSQ21BAB	6516	50mm	5,000
4SNSQ23BAB	6518	57mm	6,900
4SNSQ25BAB	6520	64mm	6,200


FLOORING AND UNDERLAY

STAPLES BCS15 SERIES

Crown Width: 12.7mm **WireSize:** 15 gauge.

Suits: Bostitch BCS-1500, M111FS Flooring Stapler, Spotnails 7500 series.

Applications: 13SLFS7550: Install Solid Hardwood Flooring. 13SLFCL2650: Tongue & Groove Flooring.



13SLFS7550 FLOORING STAPLER 13SLFCL2650 CLEAT FLOORING TOOL

TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLFS7550	100 Staples	40mm - 50mm	15 Gauge	N/A
13SLFCL2650	100 Cleats	50mm	15 Gauge	N/A

Features: 13SLFS7550 Uses Spotnails™ 7500 Staples & Bostitch™ BCS1516 Staples. 13SLFCL2650 Uses Spotnails™ 26132 "L" Flooring Cleats. Rubber Grip for Comfort, Plastic Carrying Case and Mallet Included

Weight: 4.54 kg **Dimensions:** 432L x 89W x 534H mm.

13SLWS4840W2 18 GAUGE NARROW CROWN STAPLER




TOOL	STAPLE CAPACITY	STAPLE RANGE	DIAMETER	EXHAUST
13SLWS4840W2	168 Staples	35mm	18 Gauge	Adjustable

Applications: For Use On Engineered Hardwoods (3/8", 1/2", & 9/16" Floors)

Features: Uses Spotnails™ 4811PN Nylon Coated Staples To Prevent Withdrawal, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Plastic Carrying Case Included

Weight: 2.13kg **Dimensions:** 305L x 64W x 242H mm.



ORDER CODE	DESCRIPTION
13SLFS7550	SPOTNAILS UNDERLAY STAPLER
13SLFCL2650	SPOTNAILS CLEAT FLOORING TOOL
13SLWS4840W2	SECRET NAILING FLOOR STAPLER


ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX
4SNSBCS-1532	7510	32mm	11,900
4SNSBCS-1538	7512	38mm	10,300
4SNSBCS-1545	7514	45mm	8,400
4SNSBCS-1550	7516	50mm	7,700

STAPLES BCS4 SERIES

Crown Width: 12.7mm **WireSize:** 16 gauge.

Suits: Bostitch BCS4-1200, Max TA557 900T Flooring Stapler series.


ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSBCS4-1219	7606	19mm	5,000	10,000
4SNSBCS4-1222	7607	22mm	5,000	10,000
4SNSBCS4-1225	7608	25mm	5,000	10,000
4SNSBCS4-1228	7609	28mm	5,000	10,000
4SNSBCS4-1232	7610	32mm	5,000	10,000
4SNSBCS4-1238	7612	38mm	5,000	10,000
4SNSBCS4-1240	7613	40mm	5,000	10,000
4SNSBCS4-1245	7614	45mm	5,000	10,000
4SNSBCS4-1250	7616	50mm	5,000	10,000



DECKING TOOL



13SLTEBO2 TEBO DECKING TOOL



ORDER CODE	DESCRIPTION			
13SLTEBO2	SPOTNAILS TEBO DECKER TOOL			
ORDER CODE	SPOTNAILS #	DESCRIPTION	BOX	CARTON
4TEBO-45120	45120	STAINLESS STEEL FASTENER TO SUIT TEBO (INVERTED POINT)	120	480

PACKAGING

73 SERIES PLIER STAPLER

Crown Width: 11.40mm

Tool similar to Rapid 31, JK695 and Markwell L3 Types. **Application:** Carton Stapler.

ORDER CODE	DESCRIPTION
130PHSP12	PLIER USES 34, 73, 694, STCR 5019 STAPLES (SEE 694 SERIES)

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNS73/08	77908	8mm (5/16")	5,000	100,000
4SNS73/10	77909	10mm (3/8")	5,000	100,000
4SNS73/12	77910	12mm (1/2")	5,000	100,000




777 STAPLES SERIES

Crown Width: 12.40mm **Suits:** Kihlberg 777 Packaging, Spotnails 777 series.

Application: Carton Stapler, DSP 777 Plier Stapler

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS777/10	94206	10mm	2400	48,000
4SNS777/12	94208	12mm	2400	48,000
4SNS777/16	94210	16mm	2400	48,000




PACKAGING STAPLES

561 STAPLES SERIES

Crown Width: 32mm **WireSize:** 1.5mm

Suits: Able 32, Kihlberg 561 Carton Sealer, Spotnails 32 and 275 series.

Applications: Carton Closing
- For Use Where Compressed Air Is Not Available



13SLHSC3219C MANUAL CARTON CLOSING STAPLERS



TOOL	STAPLE CAPACITY	STAPLE RANGE	EXHAUST
13SLHSC3219C	100 Staples	16mm -19mm	None

Features: Uses Spotnails® 4SNS561 Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length

Weight: 1.7 kg **Dimensions:** 369L x 108W x 293H mm.

13SLKSC3219C PNEUMATIC CARTON CLOSING STAPLERS



TOOL	STAPLE CAPACITY	STAPLE RANGE	EXHAUST
13SLKSC3219C	100 Staples	16mm -19mm	Rear

Applications: Carton Closing

Features: Uses Spotnails® 4SNS561 Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length

Weight: 2.04 kg **Dimensions:** 331L x 115W x 216H mm.

13SLKSR3219R PNEUMATIC CARTON CLOSING ROLL STAPLERS



TOOL	STAPLE CAPACITY	STAPLE RANGE	EXHAUST
13SLKSR3219R	1000 Staples	16mm -19mm	Rear

Applications: Carton Closing

Features: 13SLKSR3219R Uses Spotnails® 1-1/4" Crown Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length


Weight: 2.70 kg **Dimensions:** 115L x 235W x 223H mm.

PACKAGING STAPLES



ORDER CODE	DESCRIPTION
13SLHSC3219C	MANUAL CARTON CLOSING STAPLER
13SLKSC3219C	SPOTNAILS PNEUMATIC CARTON CLOSING STAPLER
13SLKSR3219R	SPOTNAILS PNEUMATIC ROLL STAPLER (USED CCRRI STAPLE ROLL)
130PCMS-S-32	BOX BOTTOMER STANDARD DUTY SIDEARM TYPE MANUAL
130PHCAB-S-32	BOX BOTTOMER STANDARD DUTY POST TYPE PNEUMATIC
130PHCMB-S-32	BOX BOTTOMER HEAVY DUTY POST TYPE MANUAL
130PHCMS-S-32	BOX BOTTOMER HEAVY DUTY SIDEARM TYPE MANUAL
130PHCAS-S-32	BOX BOTTOMER HEAVY DUTY POST TYPE PNEUMATIC

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS561/16	CC58C	16mm	2,000	20,000
4SNS561/19	CC34C	19mm	2,000	20,000
4SNS561/22	CC78C	22mm	2,000	20,000




Applications: Carton Closing Staple


292 STAPLES SERIES

Crown Width: 34.8mm **WireSize:** 1.65mm

Suits: Paslode Elpabox 292, Able 35, DWS "A", SW 9040 Carton Sealer, Spotnails 35 series.



13SLKSC3519A PNEUMATIC CARTON CLOSING STAPLERS



TOOL	STAPLE CAPACITY	STAPLE RANGE	EXHAUST
13SLKSC3519A	100 Staples	16mm -19mm	Rear

Features: Uses Spotnails® 4SNS292 Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length

Weight: 2.04 kg **Dimensions:** 331L x 115W x 216H mm.

NOTE: MANUAL CARTON CLOSING VERSION ALSO AVAILABLE. SPECIFICATION AS FOR MODEL 13SLHSC3219C (P25)

ORDER CODE	DESCRIPTION
13SLKSC3519A	SPOTNAILS PNEUMATIC CARTON CLOSER
13SLHSC3519A	SPOTNAILS MANUAL CARTON CLOSING STAPLER

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNS292/16	CC58A(A58)	16mm	2,000	20,000
4SNS292/19	CC34A(A34)	19mm	2,000	20,000
4SNS292/22	CC78A(A78)	22mm	2,000	20,000


Applications: Carton Closing Staple

COIL STAPLES SWC7437 SERIES

Crown Width: 35mm **WireSize:** 0.90 x 1.90mm.

Suits: Bostitch Coil SWC7437 Packaging, Spotnails CCBR series.

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX
4SNSSWC4/7437/16	CCBR - 5/8	16mm	6 Coils x 4,000
4SNSSWC4/7437/18	CCBR - 3/4	18mm	6 Coils x 4,000




STRIP STAPLES SW7437 SERIES

Crown Width: 35mm **WireSize:** 0.90 x 1.90mm.

Suits: Able 287, "B", Bostitch SW7437 Packaging, Spotnails 7437 series.

ORDER CODE	LEG LENGTH	BOX	OUTER
4SNSSW7437/16	15/16mm	2,000	20,000
4SNSSW7437/18	18/19mm	2,000	20,000




STAPLES SB103020 SERIES

Crown Width: 12.5mm

Suits: Bostitch P50-10B SB103020 Packaging, Spotnails 103020 series.

Applications: Fastening Corrugated Packaging.



13SLDSP103020 PNEUMATIC STAPLING PLIER

Features:

- A precompression squeeze during operation ensures a strong tight closure without breaking the corrugated surface.
- Large throat (180 x 25mm) allows flexibility of staple placement.
- C - Curved anvil / blade options available for sealing partial overlap cartons.

Weight: 2.4 kg

Dimensions: 356L x 51W x 260H mm.

Operating Air Pressure: 30-40 psi.

Magazine Capacity: 102.

Staple size: 10-16mm.



ORDER CODE	DESCRIPTION
13SLDSP103020	PNEUMATIC STAPLING PLIER

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SSB103020/10	91206	10mm	2,500	50,000
4SSB103020/12	91208	12mm	2,500	50,000
4SSB103020/16	91210	16mm	2,500	50,000


PACKAGING STAPLES

STAPLES SB5019 SERIES

Crown Width: 12.5mm

Suits: Bostitch P50-5B SB5019 Packaging, Spotnails 5019 series.

Applications: Stapling Fabric, Vegie Boxes.



13WMSP50-5B PNEUMATIC STAPLING PLIER

Features:

- A precompression squeeze during operation ensures a strong tight closure without breaking the corrugated surface.
- Large throat (180 x 25mm) allows flexibility of staple placement.
- C - Curved anvil / blade options available for sealing partial overlap cartons.

Weight: 2.2 kg

Dimensions: 370L x 55W x 240H mm.

Operating Air Pressure: 36-55 psi.

Magazine Capacity: 168.

Staple size: 10-16mm.



ORDER CODE	DESCRIPTION
13WMSP50-5B	PNEUMATIC STAPLING PLIER


ORDER CODE	LEG LENGTH	BOX
4S/SB5019-12	12mm	—
4S/SB5019-16	16mm	4,000

STAPLES 590 SERIES

Crown Width: 25.4mm

Suits: Kihlberg 590 Packing series.

ORDER CODE	LEG LENGTH	BOX	OUTER
4S590/16	16mm	2800	28,000
4S590/19	19mm	2800	22,400



POLYNET BAGGING MACHINE STAPLE

Crown Width: 9.35mm **Suits:** FT12 Machine

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SNSFT-12	60501	10mm	3,000	30,000



STAPLES BCS31 SERIES DIVERGENT POINT

Crown Width: 9.10mm **Suits:** Bostitch Rammer BCS31 Bedding, Spotnails 619 TRD series.

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	OUTER
4SBCS31DP.19	58500	18mm	5,000	30,000
	3806DG	19mm	5000	30,000
4SBCS31DP.22	3807DG	22mm	5,000	30,000

779 SERIES STAPLES

Crown Width: 12.5mm **WireSize:** 18g.

Suits: Kihlberg 779 Packaging/Bedding, Spotnails 779 series.

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX	CARTON
4SNS779/10	95506	10mm	5,000	100,000
4SNS779/12	95508	12mm	5,000	100,000
4SNS779/14	95509	14mm	5,000	100,000
4SNS779/16	95510	16mm	5,000	100,000



13SLLS77916 PNEUMATIC PLIER STAPLER

MAGAZINE CAPACITY	180 ~ 280 pcs
OPERATING AIR PRESSURE	100 ~ 120 PSI (6~8 bars)
AIR HOSE REQUIRED	1/4" (6.35mm) ID
EMISSION SOUND LEVEL AT THE WORKSTATION	d = 82 dB (decibel)

Weight: 2.1 kg **Dimensions:** 350L x 80W x 300H mm.

ORDER CODE	DESCRIPTION
13SLLS77916	SPOTNAILS PNEUMATIC PLIER STAPLER

HOG RINGS



TOOL	RING CAPACITY	STAPLE RANGE	EXHAUST
130PMHR-60-22	22mm	150	Rear

Applications: Bag Sealing, Rural Wire Fencing, etc., Car Seat/Upholstery Manufacturing, Mattress Manufacturing, Wire/Mesh Joining Applications.

Weight: 1.57 kg **Dimensions:** 405L x 53W x 275H mm

ORDER CODE	DESCRIPTION
130PMHR-60-22	HOG RING PLIER

HOG RINGS COLLATED ELECTRO GALVANISED WIRE AND BLUNT POINT

Suits: Paslode Air Hog Ringer A10845, Bostitch HRL309/HRL311 (SR-15 series), Sofragraf HR60/22.

Applications: Bag Sealing, Rural Wire Fencing, etc., Car Seat/Upholstery Manufacturing, Mattress Manufacturing, Wire/Mesh Joining Applications.

ORDER CODE	SPOTNAILS #	CROWN WIDTH (WIRE SIZE)	BOX
4SNHRP-22GW	69012	22mm (1.85x2.05mm)	10,000
4SNHBLCL-22GW	69012B	22mm (1.85x2.05mm)	10,000
4SNHRP-30GW	69060	30mm (1.85x2.05mm)	10,000
4SNHRP-22SS	69012SS	22mm (1.85x2.05mm) STAINLESS	22,000



C RINGS FLEXIBLE

Applications: Bag Sealing, Rural Wire Fencing, etc., Car Seat/Upholstery Manufacturing, Mattress Manufacturing, Wire/Mesh Joining Applications.

ORDER CODE	SPOTNAILS #	CROWN WIDTH (WIRE SIZE)	CARTON
4SNCL-12GW	CL-12	12mm (1.85x2.05mm)	10,000
4SNCL-24GW	69020	24mm (1.85x2.05mm)	10,000




PINNERS - BRADDERS - NAILERS

HEADLESS PINS 0.6MM SERIES

Head Size: Headless **WireSize:** 0.6mm

Suits: Kihlberg JK21/506, Supco 625, BeA 0.6 Headless, Spotnails 23 GA. Pins series.



13SLSP2340 23 GAUGE PINNER

TOOL	PIN CAPACITY	PIN RANGE	DIAMETER	EXHAUST
13SLSP2340	100 Pins	12mm - 40mm	23 Gauge	Front

Applications: Trim Moulding, Furniture & Cabinet Assembly.

Features: Uses Spotnails® 23 gauge Pins, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Automatic Height Adjuster for Fasteners, Plastic Carrying Case Included

Weight: 1.16kg **Dimensions:** 261L x 38W x 191H mm.

ORDER CODE	DESCRIPTION
13SLSP2340	PNEUMATIC PINNER-HEADLESS 0.6mm. UP TO 40mm

ORDER CODE	SPOTNAILS #	LENGTH	BOX	CARTON
4SNB0.6/12	23008	12mm	10,000	100,000
4SNB0.6/15	23010	15mm	10,000	100,000
4SNB0.6/20	23013	20mm	10,000	100,000
4SNB0.6/22	23014	22mm	10,000	100,000
4SNB0.6/25	23016	25mm	10,000	100,000
4SNB0.6/30	23019	30mm	10,000	100,000
4SNB0.6/40	23025	40mm	10,000	80,000

HEADLESS PINS 0.8MM SERIES

Head Size: Headless **WireSize:** 0.7 x 0.9mm (21 gauge)

Suits: Haubold 0.8, Paslode F1A Beta 82-12/18 series.



13TESP818 21 GAUGE HEADLESS PINNER

Applications: Furniture, Moulding & Cabinet Making etc.

Weight: 0.89kg
Dimensions: 235L x 45W x 174H mm.

TOOL	PIN CAPACITY	PIN RANGE
13TESP818	140	12mm - 18mm



13TESP825 21 GAUGE HEADLESS PINNER

Applications: Furniture, Moulding & Cabinet Making etc.

Weight: 0.96kg
Dimensions: 235L x 45W x 174H mm.

TOOL	PIN CAPACITY	PIN RANGE
13TESP825	140	18mm - 25mm

ORDER CODE	DESCRIPTION
13TESP818	PNEUMATIC 0.8MM HEADLESS PINNER
13TESP825	PNEUMATIC 0.8MM HEADLESS PINNER

PINNERS - BRADDERS - NAILERS

ORDER CODE	LENGTH	BOX	CARTON
4B0.8/16	16mm	20,000	360,000
4B0.8/18	18mm	20,000	360,000
4B0.8/20	20mm	10,000	180,000
4B0.8/25	25mm	10,000	180,000
4B0.8/30	30mm	10,000	180,000



HEADLESS PINS AZ SERIES TYPE

Head Size: Headless **WireSize:** 1.2 (18 gauge).

Suits: Senco AZ, Paslode F18P/F20P GA18-31 I-GAMMA Pin series.


ORDER CODE	LENGTH	BOX	CARTON
4BAZ10EAAP	15mm	16,500	198,000
4BAZ11EAAP	20mm	16,500	198,000
4BAZ13EAAP	25mm	11,000	132,000
4BAZ15EAAP	30mm	11,000	132,000



BRADS C1 SERIES GALVANISED

Head Size: 2.0 x 1.0mm **WireSize:** 1.0 x 1.25 (18 gauge).

Suits: All C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18G, Spotnails C-1 series.



13SLCB1832 18 GAUGE BRADDER

TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLCB1832	100 Brads	10mm - 32mm	18 Gauge	Adjustable

Applications: Trim Moulding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly.

Features: Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.08kg **Dimensions:** 254L x 51W x 204H mm.



13SLCB1850 18 GAUGE BRADDER

TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLCB1850	115 Brads	12mm - 50mm	18 Gauge	Adjustable

Applications: Trim Moulding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly.

Features: Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.11kg **Dimensions:** 267L x 51W x 229H mm.

Aluminium Magazine

ORDER CODE	DESCRIPTION
13SLCB1832	PNEUMATIC MINI BRADDER TO 32mm
13SLCB1850	PNEUMATIC MINI BRADDER TO 50mm

PINNERS - BRADDERS - NAILERS

BRADS C1 SERIES GALVANISED (cont)

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBC110	18006	10mm	10,000	100,000
4SNBC112	18008	12mm	10,000	100,000
4SNBC115	18010	15mm	5,000	100,000
4SNBC120	18012	20mm	5,000	100,000
4SNBC125	18516	25mm	5,000	50,000
4SNBC130	18519	30mm	5,000	50,000
4SNBC132	18520	32mm	5,000	50,000
4SNBC135	18522	35mm	5,000	50,000
4SNBC138	18524	38mm	5,000	50,000
4SNBC140	18525	40mm	5,000	50,000
4SNBC145	18528	45mm	5,000	50,000
4SNBC150	18532	50mm	5,000	50,000



BRADS C1 SERIES STAINLESS STEEL

Head Size: 2.0 x 1.0mm **WireSize:** 1.0 x 1.25 (18 gauge).

Suits: all C1, C100, Senco AX, Bostitch 1300, Haubold Mini 1.2, Max FMO 18G, Spotnails C-1 series.

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides


ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBSSC110	18106SS	10mm	1,000	10,000
4SNBSSC112	18108SS	12mm	1,000	10,000
4SNBSSC115	18110SS	15mm	1,000	10,000
4SNBSSC119	18112SS	19mm	1,000	10,000
4SNBSSC125	18116SS	25mm	1,000	10,000
4SNBSSC130	18119SS	30mm	1,000	10,000
4SNBSSC135	18122SS	35mm	1,000	10,000
4SNBSSC138	18124SS	38mm	1,000	10,000
4SNBSSC140	18125SS	40mm	1,000	10,000
4SNBSSC145	18128SS	45mm	1,000	10,000
4SNBSSC150	18132SS	50mm	1,000	10,000



BRADS C SERIES GALVANISED - 16 GAUGE

Head Size: 2.8 x 1.4mm **WireSize:** 1.4 x 1.6mm (16 gauge).

Suits: all C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T Brad, Kihlberg 516, Spotnails C- series.



13SLWB1650 16 GAUGE BRADDER



TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLWB1650	100 Brads	25mm - 50mm	16 Gauge	Adjustable

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features: Uses Spotnails® 16 Gauge Brads, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.62kg **Dimensions:** 229L x 64W x 242H mm.

PINNERS - BRADDERS - NAILERS

13SLXB1564 15/16 GAUGE FINISH NAILER



TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLXB1564	100 Brads	25mm - 64mm	15/16 Gauge	Adjustable

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features: Uses Spotnails® 1500 PG & 16 Gauge Brads, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.93kg **Dimensions:** 254L x 76W x 267H mm.

ORDER CODE	DESCRIPTION
13SLWB1650	SPOTNAILS PNEUMATIC BRADDER - C SERIES TO 50mm
13SLXB1564	SPOTNAILS PNEUMATIC BRADDER - C SERIES TO 64mm

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBC16	16510	16mm	5,000	30,000
4SNBC19	16512	19mm	5,000	30,000
4SNBC25	16516	25mm	5,000	30,000
4SNBC28	16517	28mm	5,000	30,000
4SNBC30	16519	30mm	5,000	30,000
4SNBC32	16520	32mm	5,000	30,000
4SNBC35	16522	35mm	5,000	30,000
4SNBC38	16524	38mm	5,000	30,000
4SNBC40	16525	40mm	5,000	30,000
4SNBC45	16528	45mm	5,000	30,000
4SNBC50	16532	50mm	5,000	20,000
4SNBC57	16536	57mm	5,000	20,000
4SNBC60	16538	60mm	5,000	20,000
4SNBC63	16540	63mm	5,000	20,000



BRADS C SERIES STAINLESS STEEL

Head Size: 2.8 x 1.4mm **WireSize:** 1.4 x 1.6mm (16 gauge).

Suits: all C, Bostitch 1200C, Haubold 1.6, Paslode F16, Duo-Fast 6000, Max T Brad, Kihlberg 516, Spotnails C- series.

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBSSC25	16116SS	25mm	1,000	10,000
4SNBSSC30	16119SS	30mm	1,000	10,000
4SNBSSC35	16122SS	35mm	1,000	10,000
4SNBSSC38	16124SS	38mm	1,000	10,000
4SNBSSC40	16126SS	40mm	1,000	10,000
4SNBSSC45	16128SS	45mm	1,000	10,000
4SNBSSC50	16132SS	50mm	1,000	10,000
4SNBSSC55	16136SS	55mm	1,000	10,000
4SNBSSC60	16138SS	60mm	1,000	10,000
4SNBSSC64	16140SS	64mm	1,000	10,000



PINNERS - BRADDERS - NAILERS

DA SERIES

13SLXBA1564 15 GAUGE DA ANGLE FINISH NAILER



TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLXBA1564	100 Angle Brads	25mm - 64mm	15 Gauge	Adjustable

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features: Uses Spotnails® 1500 APB, APG or Senco® DA Brads, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.93kg **Dimensions:** 337L x 76W x 235H mm.

ORDER CODE	DESCRIPTION
13SLXBA1564	SPOTNAILS DA BRADDER - 64mm


BRADS DA (34° ANGLED) SERIES BRIGHT

Head Size: 3.1mm **WireSize:** 1.8mm (15 gauge).

Suits: all DA Angled, Senco DA, Spotnails 15G, APB series.

ORDER CODE	SPOTNAILS #	LENGTH	BOX	CARTON
4SNBDA13B	15308 APB	25mm	3,000	12,000
4SNBDA15B	15310 APB	32mm	3,000	12,000
4SNBDA17B	15312 APB	38mm	3,000	12,000
4SNBDA19B	15314 APB	45mm	3,000	12,000
4SNBDA21B	15316 APB	50mm	3,000	12,000
4SNBDA23B	15318 APB	57mm	3,000	12,000
4SNBDA25B	15320 APB	65mm	3,000	12,000

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides




BRADS DA (34° ANGLED) SERIES GALVANISED

Head Size: 3.1mm **WireSize:** 1.8mm (15 gauge).

Suits: all DA Angled, Senco DA, Spotnails 15G, APG series.

ORDER CODE	SPOTNAILS #	LENGTH	BOX	CARTON
4SN4BDA13G	15308 APG	25mm	3,000	12,000
4SN4BDA15G	15310 APG	32mm	3,000	12,000
4SN4BDA17G	15312 APG	38mm	3,000	12,000
4SN4BDA19G	15314 APG	45mm	3,000	12,000
4SN4BDA21G	15316 APG	50mm	3,000	12,000
4SN4BDA23G	15318 APG	57mm	3,000	12,000
4SN4BDA25G	15320 APG	65mm	3,000	12,000


Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides



BRADS DA (34° ANGLED) SERIES STAINLESS STEEL

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4BDA13SS	15308 APS	25mm	1,000	6,000
4BDA15SS	15310 APS	32mm	1,000	6,000
4BDA17SS	15312 APS	38mm	1,000	6,000
4BDA21SS	15316 APS	50mm	1,000	6,000
4BDA25SS	15320 APS	65mm	1,000	6,000

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides



PINNERS - BRADDERS - NAILERS

BRADS ND SERIES GALVANISED

Head Size: 3.5 x 1.6mm **WireSize:** 2.05mm (14 gauge).

Suits: all ND, Spotnails 14G, PG series.


ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBND38	1412	38mm	3,000	18,000
4SNBND45	1414	45mm	3,000	18,000
4SNBND50	1416	50mm	3,000	18,000
4SNBND62	1419	62mm	3,000	18,000
4SNBND65	1420	65mm	3,000	18,000
4SNBND70	1422	70mm	3,000	18,000



BRADS FN (15 GAUGE ANGLED) SERIES

Head Size: 2.70mm x 1.50mm **WireSize:** 1.82mm (15 gauge).

Suits: all FN 15 gauge angled, Bostitch FN1500, Max KBTO, Spotnails 15G, FNG series.



13SLXBFN64 15 GAUGE FN ANGLE FINISH NAILER



TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLXBFN64	100 Angle Brads	25mm - 64mm	15 Gauge	Adjustable

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features: Uses Spotnails® 1500 FNG or 15 Gauge Bostitch® FN Angle Brads, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 2.07kg **Dimensions:** 337L x 76W x 235H mm.

ORDER CODE	DESCRIPTION
13SLXBFN64	SPOTNAILS PNEUMATIC FN BRADDER

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SNBFN32	1510 FNG	32mm	3,500	14,000
4SNBFN38	1512 FNG	38mm	3,500	14,000
4SNBFN45	1514 FNG	45mm	3,500	14,000
4SNBFN50	1516 FNG	50mm	3,500	14,000
4SNBFN56	1518 FNG	56mm	3,500	14,000
4SNBFN64	1520 FNG	64mm	3,500	14,000


PINNERS - BRADDERS - NAILERS

BRADS Paslode®/DeWALT® TYPE. 16 GAUGE ANGLE

HeadSize: 3.20mm x 1.90mm **WireSize:** 1.54mm (16 gauge).

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

ORDER CODE	SPOTNAILS #	LENGTH	BOX	OUTER
4SFTM/32	16210	32mm	2,000	12,000
4SFTM/38	16212	38mm	2,000	12,000
4SFTM/45	16214	45mm	2,000	12,000
4SFTM/50	16216	50mm	2,000	12,000
4SFTM/63	16220	63mm	2,000	12,000



STRIKEFAST 16g ANGLED BRAD/FUEL PACK

HeadSize: 3.20mm x 1.90mm **WireSize:** 1.54mm (16 gauge).

Contains 2000 Angled Brads & 2 18g Finishing Fuel Cells (Yellow Cap) Complete with 2 Metering Valves.



ORDER CODE	SPOTNAILS #	LENGTH	DESCRIPTION
4SFTM/32-P	16210P	32mm	2000 BRADS + 2 X 18g FUEL CELLS
4SFTM/38-P	16212P	38mm	2000 BRADS + 2 X 18g FUEL CELLS
4SFTM/45-P	16214P	45mm	2000 BRADS + 2 X 18g FUEL CELLS
4SFTM/50-P	16216P	50mm	2000 BRADS + 2 X 18g FUEL CELLS
4SFTM/63-P	16218P	63mm	2000 BRADS + 2 X 18g FUEL CELLS

FUEL CELLS




Suits current model Hitachi, Max, Makita, Paslode and Powers cordless framing guns.

ORDER CODE	DESCRIPTION	BOX QTY	OUTER
10F.AFC 40R	FRAMING, 40g. Red Cap	20	120
10F.AFC 40Y	FINISHING, 40g. Yellow Cap	20	120
10F.AFC 18Y	FINISHING, 18g. Yellow Cap	20	240

HARD STEEL BRADS

HeadSize: 3.2 x 1.8mm
WireSize: 1.7 x 1.8mm (15 gauge).



13TEGG30BE

Applications:
 Flooring, Skirting
Weight: 1.03kg
Dimensions:
 253L x 45W x 232H mm.



13TEGG50BE

Applications:
 Flooring, Skirting
Weight: 1.66kg
Dimensions:
 303L x 76W x 273H mm.



TOOL	BRAD CAPACITY	BRAD RANGE
13TEGG30BE	85	20mm - 30mm

TOOL	BRAD CAPACITY	BRAD RANGE
13TEGG50BE	85	25mm - 50mm

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

ORDER CODE	DESCRIPTION
13TEGG30BE	PNEUMATIC HARDENED STEEL BRADDER
13TEGG50BE	PNEUMATIC HARDENED STEEL BRADDER

ORDER CODE	LENGTH	DESCRIPTION	BOX	CARTON
4TEB20	20mm	BLACK GALVANISED HARDENED STEEL	1,500	30,000
4TEB25	25mm	BLACK GALVANISED HARDENED STEEL	1,500	30,000
4TEB35	35mm	BLACK GALVANISED HARDENED STEEL	—	—
4TEB45	45mm	BLACK GALVANISED HARDENED STEEL	1,500	15,000



2.2 & 2.5 SERIES

13SLXT8664 T-NAILER



TOOL	BRAD CAPACITY	BRAD RANGE	DIAMETER	EXHAUST
13SLXT8664	100 Angle Brads	16mm - 64mm	15 Gauge	Adjustable

Applications: Trim Moulding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features: Uses Spotnails® 1500 APB or APG, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 1.93kg **Dimensions:** 362L x 89W x 254H mm.


ORDER CODE	DESCRIPTION
13SLXT8664	SPOTNAILS PN. "T" NAILER 2.2 & 2.5 "T" NAILS

CORRUGATED FASTENERS

CORRUGATED FASTENERS 16 SERIES

Fastener Width: 25.3mm **Fastener Thickness:** 0.57mm

Suits: Senco SC2 (10/13mm), Haubold HAWN 15 (15mm), Spotnails Striker SLXC1016 (6/10/13mm), Paslode F4P CF-12 & P45C CF9-15 (10/13mm W09/W12 series), Bostitch NIKEMA-442(10/13mmCF series).



13SLXC1016 CORRUGATED FASTENER TOOL



TOOL	CAPACITY	RANGE	DIAMETER	EXHAUST
13SLXC1016	120 Fasteners	6mm -16mm	1"	Adjustable

Applications: Drives 1" Wide Strip Steel Corrugated Fasteners in 1/4", 3/8", 1/2" and 5/8" Lengths, for Use On End Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joins, Pallet Repair

Features: Uses Spotnails® 416, 616, 816 & 1016 Fasteners, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 2.35kg **Dimensions:** 356L x 89W x 235H mm.

13SLRC1016 CORRUGATED FASTENER TOOL



TOOL	CAPACITY	RANGE	DIAMETER	EXHAUST
13SLRC1016	120 Fasteners	6mm -16mm	1"	Adjustable

Applications: Drives 1" Wide Strip Steel Corrugated Fasteners in 1/4", 3/8", 1/2" and 5/8" Lengths, for Use On End Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joins, Pallet Repair

Features: Uses Spotnails® 416, 616, 816 & 1016 Fasteners, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

Weight: 2.35kg **Dimensions:** 356L x 75W x 235H mm.

ORDER CODE	DESCRIPTION
13SLXC1016	SPOTNAILS CORRUGATED FASTENER TOOL 6mm - 16mm
13SLRC1016	SPOTNAILS CORRUGATED FASTENER TOOL 6mm - 16mm

ORDER CODE	SPOTNAILS #	LEG LENGTH	BOX
4SNU616	616	10mm	11,000
4SNU816	816	13mm	8,360

Applications: Drives 1" Wide Strip Steel Corrugated Fasteners in 1/4", 3/8", 1/2" and 5/8" Lengths, for Use On End Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joins, Pallet Repair

COIL + FRAMING NAILS

13SFHHN34-90 34° CLIPPED HEAD FRAMING NAILER



TOOL	NAIL CAPACITY	NAIL RANGE	DIAMETER	EXHAUST
13SFHHN34-90	75 Nails	50mm - 90mm	2.8 - 3.4mm	Front

Applications: Framing, Decking, Fencing, Pallets, Sheathing, Crafting, Siding, General Manufacturing

Features: Italian Quality Tool, Uses Spotnails® 31° Clipped Head Strip Nails, Rubber Grip for Comfort, Restrictive Trigger, Belt Hook

Weight: 3.8 kg **Dimensions:** 380L x 105W x 505H mm.

13SLQCND65 0° PLASTIC COLLATED COIL NAILER



TOOL	NAIL CAPACITY	NAIL RANGE	DIAMETER	EXHAUST
13SLQCND65	300 Nails	32mm - 65mm	2.11 - 2.87mm	Adjustable

Applications: Fencing, Pallets, Decking, Crafting, Manufacturing etc

Features: Rubber Grip for Comfort, 360° Adjustable Exhaust

Weight: 2.33kg **Dimensions:** 305L x 146W x 330H mm.

13SFF45CCN15 15° PLASTIC OR WIRE COIL NAILER



TOOL	NAIL CAPACITY	NAIL RANGE	DIAMETER	EXHAUST
13SFF45CCN15	300 Nails	35mm - 65mm	2.3 - 2.9mm	Adjustable

Applications: Fencing, Pallets, Decking, Crafting, Manufacturing etc

Features: Italian Quality Tool, Rubber Grip for Comfort, 360° Adjustable Exhaust

Weight: 2.01kg **Dimensions:** 311L x 127W x 318H mm.

13SLZCN70 COIL NAILER



TOOL	NAIL CAPACITY	NAIL RANGE	DIAMETER	EXHAUST
13SLZCN70	300 Nails	45mm - 70mm	2.29 - 2.87mm	Front

Applications: Fencing, Pallets, Decking, Crafting, Manufacturing etc

Features: Rubber Grip for Comfort,

Weight: 3.69kg **Dimensions:** 343L x 127W x 324H mm.

ORDER CODE	DESCRIPTION
13SLUCNM65	SPOTNAILS 15° PLASTIC OR WIRE PNEUMATIC COIL NAILER
13SLZCN70	PNEUMATIC PALLET COIL NAILER
13SLNTD90	SPOTNAILS D HEAD STRIP NAILER
13SLQCND65	SPOTNAILS 0° PLASTIC COLLATED COIL NAILER

COIL NAILS

COIL NAILS

Wire Collated to Suit Max / Bostitch / Makita / Hitachi / Senco / SPOTNAILS tools


ORDER CODE	SIZE MM	FINISH	BOX
4C.FR63V8	63 X 2.8	BRIGHT RING SHANK	5,000
4C.FS57V5	57 X 2.5	BRIGHT SCREW SHANK	9,900
4C.FS57V8	57 X 2.8	BRIGHT SCREW SHANK	6,000
4C.FS75V8	75 X 2.8	BRIGHT SCREW SHANK	5,000
4C-FS35V7-G	35 X 2.7	ELECTRO GALV SCREW SHANK	12,000
4C-FS50V5-G	50 X 2.5	ELECTRO GALV SCREW SHANK	9,900
4C / FR50V5-GW	50 X 2.5	ELECTRO GALV RING SHANK	
4C / FS57V5-GW	57 X 2.5	ELECTRO GALV SCREW SHANK	9,000



DECKING NAILS - DOME HEAD - GALVANISED

15° Plastic Sheet to Suit Max / Bostitch / Makita / Hitachi / Senco / SPOTNAILS tools


ORDER CODE	SIZE MM	FINISH	BOX
4C / FRP50V5-OH-GKN	50 X 2.5	GKN GALV RING SHANK	4,000
4C / FSP50V5-OH-GKN	50 X 2.5	GKN GALV SCREW SHANK	4,000



DECKING NAILS - DOME HEAD - STAINLESS STEEL

15° Plastic Sheet to Suit Max / Bostitch / Makita / Hitachi / Senco / SPOTNAILS tools

ORDER CODE	SIZE MM	FINISH	BOX
4C / FRP50V5-S-OH	50 X 2.5	STAINLESS RING SHANK	4,000
4C / FSP50V5-S-OH	50 X 2.5	STAINLESS SCREW SHANK	4,000



FLAT HEAD - HARDENED

15° Plastic Sheet to Suit Max / Bostitch / Makita / Hitachi / Senco / SPOTNAILS tools

ORDER CODE	SIZE MM	FINISH	BOX
4C-FAP27V5-G	27 X 2.5	ELECTRO GALV HELICAL TWIST	6,000
4C-FAP32V5-G	32 X 2.5	ELECTRO GALV HELICAL TWIST	6,000
4C-FAP38V5-G	38 X 2.5	ELECTRO GALV HELICAL TWIST	6,000
4C/FAP32V5-GKN	32 X 2.5	GKN HELICAL TWIST	6,000
4C-FRP27V5-GKN	27 X 2.5	GKN RING SHANK	6,000
4C-FRP32V9-GKN	32 X 2.9	GKN RING SHANK	6,000
4C-FRP38V9-GKN	38 X 2.9	GKN RING SHANK	6,000
4C-FRP50V5-GKN	50 X 2.5	GKN RING SHANK	8,000




COIL + FRAMING NAILS

COIL NAILS

Plastic Collated to Suit DUO-FAST

ORDER CODE	SIZE MM	FINISH	BOX
4C / BF15AHAD	32 X 2.5	SHEG SCREW SHANK	7,200
4C / D40350	32 X 2.5	BRIGHT RING SHANK	7,200
4C / D41200-HDG	45 X 2.5	HDG SMOOTH SHANK	
4C / D41250-HDG	45 X 2.5	HDG RING SHANK	



FRAMING NAILS (34°)

Paper Collated to Suit Senco / Paslode / Hitachi / Makita / SPOTNAILS etc

ORDER CODE	SIZE MM	FINISH	BOX
4NFBLS75306B	75 X 3.06	BRIGHT BLUNT SHEAR SMOOTH SHANK	3,000
4NFBLS75306GW	75 X 3.06	GALWIRE BLUNT SHEAR SMOOTH SHANK	3,000
4NFBLS57306	57 X 3.06	GALWIRE BLUNT SHEAR SMOOTH SHANK	3,000
4NFS50280B-F	50 X 2.80	BRIGHT SMOOTH SHANK	3,000
4NFS50280GW	50 X 2.80	GALWIRE SMOOTH SHANK	3,000
4NFS75306B-F	75 X 3.06	BRIGHT SMOOTH SHANK (ALLFIX)	3,000
4NFS75306GW	75 X 3.06	GALWIRE SMOOTH SHANK	3,000
4NFS88320B	88 X 3.20	BRIGHT SMOOTH SHANK	3,000
4NFS88320GW	88 X 3.20	GALWIRE SMOOTH SHANK	3,000
4NFS75306HDG	75 X 3.06	HDG SMOOTH SHANK	3,000
4NFS88302HDS	88 X 3.20	HDG SMOOTH SHANK	3,000



FRAMING NAILS / FUEL PACK

Paper Collated to Suit Paslode / Powers etc.

Includes 3 x 40g Fuel Cells

Suits current model Hitachi, Max, Makita, Paslode and Powers cordless framing guns.

ORDER CODE	SIZE MM	FINISH	BOX
4SFN-75306B-PK	75 X 3.06	BRIGHT SMOOTH SHANK	3,000



FRAMING NAILS (28°)

Paper Collated to Suit Bostitch.

ORDER CODE	SIZE MM	FINISH	BOX
4NFBP75306B-F	75 X 3.06	BRIGHT SMOOTH SHANK	3,000



FRAMING NAILS

Plastic Collated to Suit DUO-FAST.

ORDER CODE	SIZE MM	FINISH	BOX
4NFD75310B	75 X 3.10	BRIGHT SMOOTH SHANK	3,000



HORTICULTURAL EQUIPMENT & SUPPLIES



MAX TAPENER TOOLS

A quality Japanese manufactured product used by professionals world wide for over 40 years.
The original tool of its type.



THE ORIGINAL "TAPENER", MAX HT-B

MAX TAPENER® has been proven for over 40 years in the grape, tomato, olive industries etc. It is also chosen by leading nurseries around the world as the most efficient and careful method of binding tree and stakes together. Actually, it increases the working efficiency by up to 5 times as compared to conventional tying methods.



THE NEW "TAPENER", MAX HT-B(N)

Now, cuts a brilliant figure with the new feature!

The New Scrap Free Mechanism (patent pending) enables you to increase your working efficiency even more. Thanks to the New Scrap Free Mechanism the HT-B(N) doesn't make tape scraps any more. You keep your working area and soil clean. This is a real ecologically friendly feature.



LARGE SPOOL "TAPENER", MAX HT-B2(N)

For high volume usage.



SPECIFICATIONS

MODEL	MAX HT-B(N) / HT-B
Dimensions	158mm (Height) X 29mm (Width) X 336mm (Length)
Binding Size ø	20 - 50mm
Number of Staple loaded	200pcs 604C-L staples 172pcs 604E-L staples
Weight	510g
Tape	Max 10,15 or 25
MODEL	MAX HT-B2(N)
Dimensions	159mm (Height) X 29mm (Width) X 385mm (Length)
Binding Size ø	20-45mm
Number of Staple loaded	200pcs 604C-L staples 172pcs 604E-L staples
Weight	585g
Tape	Max 215 or 225

HORTICULTURAL EQUIPMENT & SUPPLIES

TAPE FOR MAX TAPENER®



CLASS	TAPE-10	TAPE-15	TAPE-25
Length of roll	40m	26m	16m
Tape length (required for binding)	Approx 50-80mm	Approx 50-80mm	Approx 110-130mm
Number of ties per roll	Approx 500-800	Approx 300-500	Approx 120-140
Thickness X Width (mm)	0.1 X 11	0.15 X 11	0.25 X 11
Color	Green	Green	Green
Max Code	TP91016	TP91026	TP91036

TAPE FOR LARGE SPOOL TAPENER®



CLASS	TAPE-215	TAPE-225
Length of roll	68.62m	45.75m
Tape length (required for binding)	Approx 50-80mm	Approx 50-80mm
Number of ties per roll	Approx 790-1300	Approx 330-390
Thickness X Width (mm)	0.15 X 11	0.25 X 11
Color	Green	Green
Max Code	TP91060	TP91070

STAPLE FOR MAX TAPENERS®

604C-L

Number of staples in a box 4,800 (200 Pcs per stick)

TAPE	STAPLE
TAPE 10, 15, 215	604C-L



604E-L

Number of staples in a box 4,800 (200 Pcs per stick)

TAPE	STAPLE
TAPE 25, 225	604E-L



HORTICULTURAL EQUIPMENT & SUPPLIES

MAX SERRATED BLADES

Ensures easy and smooth cutting.
For the best performance, use
New MAX Serrated Blades.

- TC90017 for MAX HT-BN
- TC90016 for MAX HT-B2(N)

3 blades / set



ORDER CODE	MAX CODE	DESCRIPTION	BOX	OUTER
12MXHT90022	HT90022	HT-B TAPENER TOOL	1	20
12MXHT90070	HT90070	HT-B(N) TAPENER TOOL	1	20
12MXHT90072	HT90072	HT-B2(N) TAPENER TOOL LARGE SPOOL	1	20
11MXT91016	TP91016 (Max 10)	GREEN TAPE 40m X 0.1mm X 11mm	1 (10 Rolls)	30
11MXT91026	TP91026 (Max 15)	GREEN TAPE 26m X 0.15mm X 11mm	1 (10 Rolls)	30
11MXT91036	TP91036 (Max 25)	GREEN TAPE 16m X 0.25mm X 11mm	1 (10 Rolls)	30
11MXT91060	TP91060 (Max 215)	GREEN TAPE 68.26m X 0.15mm for MXHTB2	1 (10 Rolls)	15
11MXT91070	TP91070 (Max 225)	GREEN TAPE 45.75m X 0.25mm X 11mm	1 (10 Rolls)	15
4MXSMS93302	MS3302	MAX 604E-L STAPLE 4800 / Box	1	200
8MXTC90016	TC90016	SERRATED BLADE (Pack of 3)	1	30

BUNCHING MACHINE

SPECIFICATIONS

Weight 8.0KG
Dimensions 215mm (Height) X 150mm (Width) X 530mm (Length)



ORDER CODE	MAX CODE	DESCRIPTION	BOX
12MXHT91018	HT-M2	MAX BUNCHING MACHINE	1

MAX PACKNER MACHINE

For bag closure using an aluminium staple.

Featuring:

- High durability
- Easy maintenance
- No power source required
- Simple operation

Applications:

- Meat products
- Ice cube bags
- Frozen foods
- Fruit

SPECIFICATIONS

MODEL	HR-PS 2
Weight	6.0KG
Dimensions	765mm (Height) X 162mm (Width) X 415mm (Length)
Load Capacity	150 STAPLES (3 Sticks)
Staple	711VO-AR, 713VO-AR



HR-PS2



VO-AR 711



VO-AR 713



VO-AR 711R

ORDER CODE	MAX CODE	DESCRIPTION	BOX	OUTER
12MXHR91040	HR-PS2	PACKNER MACHINE (MANUAL)	1	1
13MXMR91063	HR-AV2	PACKNER MACHINE (PNEUMATIC)	1	1
4MXSMS99602	VO-AR 711	11mm MAX ALUMINIUM STAPLE	2000	80,000
4MXSMS99612	VO-AR 713	13mm MAX ALUMINIUM STAPLE	2000	80,000
4MXSMS99607	VO-AR 711R	11mm REEL STAPLE FOR HRA-V11	2500	50,000

TERMS & CONDITIONS

1. Introductory

These terms and conditions of sale, as amended from time to time and made available at www.allfix.com.au (Conditions), apply to any supply of Goods by Allfix Pty Ltd ABN 23 151 428 189 (Seller) to any person, firm, company or any other party whatsoever whose order for the purchase of Goods is accepted by the Seller (Purchaser). In these Conditions, Goods means all products supplied by the Seller to the Purchaser whether by means of sale, hire, rental or otherwise and whether the property of the Seller or distributed by the Seller as agents for another.

2. General

- These Conditions supersede any oral or implied conditions given during any sales presentation unless included in a written quotation.
- The Seller reserves the right to accept or refuse all or part of any order given on the basis of its quotation and in the event of the refusal of any order or any part of any order, no damages or expenses of any kind shall be payable by the Seller. If part of an order is supplied, these Conditions will apply to the Goods supplied.
- Once the Seller has accepted an order from the Purchaser, that order cannot be cancelled by the Purchaser.

3. Payment

Payment in full must be received before delivery, unless prior approval for a credit facility has been granted by the Seller to the Purchaser (Due Date). Where prior approval has been granted by the Seller, credit terms are strictly for payment in cleared funds, 30 days from the date of the invoice.

The Goods shall remain the property of the Seller until payment has been made in full and any cheques cleared.

4. Default

If the Purchaser fails to make a payment by the Due Date, commits a material breach of these Conditions, becomes, or the Seller reasonably believes is likely to become, insolvent (as defined by the Corporations Act 2001 (Cth)), or suffers, or the Seller reasonably believes is likely to suffer, an event of bankruptcy the Seller may, without limiting any other right or claim it may have against the Purchaser, do any of the following:

- charge the Purchaser interest on any outstanding moneys owed by the Purchaser to the Seller, at the rate of 2.5% per month from the Due Date;
- refuse to accept further orders until payment of the outstanding balance, plus any applicable interest, is received;
- vary or withdraw any approved credit facility and/or terms of trade;
- cancel or suspend any unfilled orders;
- enter (at any time) any premises in which the Seller's Goods are stored, to enable the Seller to inspect the Goods and reclaim possession of the Goods without liability for the tort of trespass, negligence or payment of any compensation to the Purchaser whatsoever;
- terminate any contracts between the Seller and the Purchaser and demand immediate payment of any moneys due and outstanding under those contracts; and
- institute any recovery process as the Seller in its absolute discretion deems appropriate, at the expense of the Purchaser.

5. Limitations of Liability

- To the fullest extent permitted by law, the Seller excludes all warranties, guarantees and conditions whether arising in contract, negligence or otherwise arising out of or in connection with the supply of Goods, and shall not be liable for any damages (direct, indirect, special or consequential) arising from the use of the Goods sold or for any special, incidental or consequential damages arising from delays however caused through non-delivery or through defects in material or workmanship or from any cause whatsoever and no claims of any kind, either as to the Goods delivered or

for non-delivery of the Goods shall be greater in amount than the price of the Goods in respect of which a claim is made.

- To the extent that any warranty, guarantee or condition cannot be excluded, the Seller limits its liability for a breach of an express or implied term, condition, guarantee or warranty to one of the following at the Seller's absolute discretion:
 - the replacement of the Goods; or
 - the repair of the Goods; or
 - the cost of replacing the Goods; or
 - the cost of repairing the Goods.
- To the extent permitted by law:
 - the Seller shall not be liable for or consider any claim unless notice thereof is reported in writing to the Seller within seven (7) days of delivery of the Goods to the Purchaser;
 - use or subsequent disposition by the Purchaser of any portion of Goods delivered at any time shall be deemed a waiver of all claims of the Purchaser in respect of such Goods; and
 - any clerical errors in computation, typing or otherwise of any catalogue, quotation, acceptance, offer, invoice, delivery docket, credit note or specifications given by the Seller shall be subject to correction at any time by the Seller.
- The Purchaser shall be responsible for providing any guard or protection necessary to comply with any safety or statutory requirements in connection with the installation or application of any Goods supplied by the Seller.

6. Indemnity

The Purchaser hereby indemnifies and holds the Seller harmless against any and all damages, losses, claims, liabilities, demands, charges, suits, penalties, costs and expenses (including legal costs) incurred or suffered by the Seller arising directly or indirectly as a result of, any breach of any provision of these Conditions, any injury or death to any person or any negligent act or omission or willful misconduct of the Purchaser.

7. Retention of Title and Personal Property

All Goods provided to the Purchaser from the Seller remain the property of the Seller, notwithstanding delivery to the Purchaser, until payment in full is received by the Seller.

The Purchaser acknowledges and agrees that by assenting to these Conditions, the Purchaser grants a security interest to the Seller in all Goods supplied by the Seller to the Purchaser and all other Goods that will be supplied in the future by the Seller to the Purchaser (or to its account) during the continuance of the relationship between the Seller and the Purchaser.

The Purchaser will do such acts and provide such information (which information the Purchaser warrants to be complete, accurate and up to date in all respects) as in the opinion of the Seller (acting in its absolute discretion) may be required or desirable to enable the Seller to perfect under the Personal Property Securities Act 2009 (Cth) (as amended or replaced from time to time) (PPSA) the security interest created.

The Purchaser waives any right to receive a copy of a verification statement under the PPSA and agrees as to any contract between the Seller and the Purchaser for the supply of Goods governed by these Conditions, to the extent permitted by law, to contract out of section 115 of the PPSA, except section 115(g) to the intent that the Seller will preserve its right to seize collateral, and the Purchaser agrees to waive its rights referred to in section 115(1).

The Purchaser agrees to pay the costs, charges and expenses of and incidental to the need for, or desirability of registration of, a financing statement or financing charge statement or any action taken by the Seller to comply with the PPSA or to protect its position under the PPSA. The Purchaser agrees to pay any costs incurred

by the Seller, including, but not limited to, legal costs on a solicitor-own client basis, arising from any disputes or negotiations with third parties claiming an interest in any Goods supplied by the Seller.

8. Risk and Property

The risk in the Goods sold shall pass to the Purchaser at the point of delivery to the Purchaser, its carrier or agent. This also applies to any partial order of Goods.

9. Prices

The Seller reserves the right to alter prices without notice.

10. Delivery

At the Seller's discretion, where a particular item is temporarily out of stock, Goods available will be dispatched immediately, with the balance following as soon as possible. Unless otherwise agreed the Seller will ship by the most economical way. Delivery charges will be made at the Seller's discretion.

11. Returned Goods

To the extent permitted by law, prior authorisation must be obtained in order to authorise return of the Goods and the Seller to nominate method of transport. Seller will not accept return of non-stock items or broken packs. Seller may deduct transport, handling costs and restocking charges of 15% of the price of the Goods from the credit due to the Purchaser.

13. Force Majeure

Neither the Seller or the Purchaser will be liable for any failure or delay in the performance of its obligations under these Conditions if that failure or delay is due to force majeure. However, this clause does not apply to any obligation on the Purchaser to pay money for Goods provided prior to such force majeure event.

14. Event of Inconsistency

Unless expressly stated otherwise in documentation supplied by the Seller to the Purchaser, in the event of any inconsistency between the provisions of these Conditions and the provisions of any other supplied documentation by the Seller to the Purchaser, these Conditions shall prevail to the extent of that inconsistency.

Notwithstanding the above, in the event of an executed and current contract between the Purchaser and the Seller, should there be any inconsistency between the provisions of these Conditions and the provisions of said executed and current contract, the executed and current contract shall prevail to the extent of that inconsistency.

In the event the Purchaser provides a purchase order, for purchase of Goods from the Seller, any terms of such purchase order that are in addition to or in contradiction of these Conditions shall be inapplicable and unenforceable, unless expressly agreed otherwise in writing by the Seller.

15. Assignment

The Purchaser will not, without the prior written consent of the Seller, assign or attempt to assign its rights or obligations under these Conditions.

16. Governing Law

These Conditions will be governed by and interpreted in accordance with the laws for the time being in force in South Australia and each party submits to the non-exclusive jurisdiction of the Courts of or exercising jurisdiction of that State and waives any right it might have to claim that those Courts are an inconvenient forum.

17. Waiver

The failure of the Seller at any time to insist on performance by the Purchaser of any obligation under these Conditions is not a waiver of the Seller's right to insist on the performance of, or to claim damages for breach of, that obligation unless the Seller acknowledges in writing that the claim damages for breach of, that

obligation unless the Seller acknowledges in writing that the failure is a waiver. Any delay by the Seller in exercising its right is not a waiver of that right or any other right including, but not limited to, the right to insist on the performance of that or any other obligation at any other time.

18. Severability

Any provision of these Conditions which is illegal, void or unenforceable will be ineffective to the extent only of such illegality, voidness or unenforceability without invalidating the remaining provisions of these Conditions.

19. Termination

Either party may terminate these Conditions at any time by giving the other party not less than one (1) months' written notice.

The Seller may, by written notice to the Purchaser, terminate these Conditions immediately if the Purchaser:

- commits a breach of the provisions of these Conditions and fails to remedy, within fourteen (14) days of receiving a written notice to do so; or
- becomes subject to any form of insolvency administration or winding up.

On termination of these Conditions the Purchaser agrees to make payment to the Seller for all services performed and Goods provided up to the date of termination.

19. GST

For the purpose of these Conditions, each of "Taxable Supply", "GST", "GST Rate", "Tax Invoice", "Adjustment Note" and "GST Law" have the meanings given to those terms in section 195-1 of the A New Tax System (Goods and Services Tax) Act 1999 (Cth).

Unless stated otherwise, if a Taxable Supply is made by the Seller under these Conditions, the Seller may, in addition to the amount payable under these Conditions, recover from the Purchaser an additional amount on account of GST, calculated by multiplying the amount payable by the GST Rate.

Where a Taxable Supply is made under these Conditions, the Seller shall issue the Purchaser with a Tax Invoice or an Adjustment Note in accordance with the GST Law.

20. Confidentiality

The Purchaser and its employees or agents shall not disclose or permit to be disclosed to any third party any confidential information of the Seller, except as permitted by the Seller in writing or as permitted by law.

The Purchaser shall not, without the prior written approval of the Seller, disclose to any third party (other than their legal advisers, or otherwise as required by law) these Conditions.

21. Acceptance of Conditions

These terms and conditions will be deemed to have been accepted if, and at any such time, the Purchaser has any transaction with the Seller. Acceptance of these terms and conditions gives the Seller or their agents the right to enter the premises and recover Goods without written notice. In the event that the Purchaser has located or allowed the Goods to be located at premises other than the premises of the Purchaser, the Purchaser undertakes to arrange for the return of the Goods to the Seller, should the full payment not have been met in accordance with the accepted terms.



© Allfix

The whole of this catalogue is covered by copyright. No part of this catalogue may in any way or form or by any means be electronically or mechanically reproduced, photocopied, stored in a retrieval system or transmitted without prior written permission of Allfix.

All prices quoted do not include GST

© COPYRIGHT ALLFIX 2013

ALLFIX

SOLUTIONS NAILED



PO Box 2605 BENDIGO VIC 3554

Tel: 1300 255 349

Fax: 61 3 9469 6557

Email: sales@allfix.com.au

Web: www.allfix.com.au